

NORTHWEST CORNER SECTION 20, TOWNSHIP 15 SOUTH, RANGE 11 EAST

- 1) ON PAGE 283 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 20" X 16" X 3"** FOR THE CORNER TO SECTIONS 17, 18, 19 & 20-15-11 ON THE COUNTY LINE.
THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
 - 1) 40.00 CHAINS EAST ON THE COUNTY LINE TO THE 14" X 12" X 3" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 17 & 20-15-11
 - 2) 50.60 CHAINS EAST ON THE COUNTY LINE TO THE 18" X 14" X 2-1/2" LIMESTONE THEY SET AT THE INTERSECTION OF THE EAST BOUNDARY OF THE KANSAS RESERVE
 - 3) 79.30 CHAINS EAST ON THE COUNTY LINE TO THE 16" X 14" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 16, 17, 20 & 21-15-11

- 2) MATTHEW BROWN, DEPUTY COUNTY SURVEYOR, FOR R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 72, AN **AGREEMENT SURVEY** FOR GEORGE MOSS AND GEORGE W, GORMAN TO SURVEY AND SUBDIVIDE PARTS OF SECTIONS 19, 20 30 & 31 IN TOWNSHIP 15, RANGE 11 RECORDED IN SURVEY BOOK "E" ON PAGE 72 BUT NOT DATED, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 19-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE ON THIS **AGREEMENT SURVEY**. THIS SURVEY WAS RECORDED IN MISCELLANEOUS VOLUME 41 ON PAGE 25 IN THE REGISTER OF DEEDS OFFICE ON JANUARY 27, 1887 WITH THE NOTATION THAT IT WAS SURVEYED OCTOBER 27 & 28 AND NOVEMBER 6-8, 1884, WITH A COPY OF THIS SURVEY FILED AS SURVEY F19001 IN THE SURVEY FILE FOR TOWNSHIP 15-11.
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
 - 1) 1,320' WEST ON THE COUNTY LINE TO THE 10" X 14" X 3" TRIANGULAR LIMESTONE HE SET FOR THE NORTH 1/8TH CORNER OF THE NE1/4 OF SECTION 19-15-11
 - 2) 1,320' EAST ON THE COUNTY LINE TO THE 10" X 10" X 3" TRIANGULAR LIMESTONE HE SET FOR THE NORTH 1/8TH CORNER OF THE NW1/4 OF SECTION 20-15-11
 - 3) 3,345' EAST ON THE COUNTY LINE TO THE STONE HE FOUND ON THE INDIAN RESERVE LINE ON THE NORTH SIDE OF THE NE1/4 OF SECTION 20-15-11
 - 4) 1,319.5' SOUTH TO THE STONE HE SET FOR THE EAST 1/8TH CORNER OF THE NE1/4 OF SECTION 19-15-11
 - 5) 2,639.5' SOUTH TO THE 10" X 15" X 3" TRIANGULAR LIMESTONE HE SET FOR THE EAST 1/4 CORNER OF SECTION 19-15-11
 - 6) 3,959' SOUTH TO THE 10" X 15" X 3" TRIANGULAR LIMESTONE HE SET FOR THE EAST 1/8TH CORNER OF THE SE1/4 OF SECTION 19-15-11
 - 7) 5,279' SOUTH TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 19-15-11

- 3) MATTHEW BROWN, DEPUTY COUNTY SURVEY, IN A ROAD SURVEY FOR ROAD NUMBER 320 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 239 TO 232 PETITIONED BY MANLY B. SMITH AND OTHERS FOR TWO ROADS IN TOWNSHIPS 15-11 AND 16-11 [PACKET 573 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON FEBRUARY 23, 1886, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 19-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE TO END THE SECOND ROAD ON THIS ROAD SURVEY. THE SECOND ROAD WAS **REJECTED** ON APRIL 20, 1886 AS NOTED BY T. E. McMILLAN, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MAY 6, 1886 BY ROLAND LAKIN, COUNTY CLERK.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

HIS INFORMATION IS CONTINUED ON PAGE 2

- 1) THIS SECOND ROAD EXTENDS SOUTH ON THE SECTION LINES FOR 1,379 FEET TO THE 1" X 8" X 3" ROAD STONE HE SET MARKED "R/3M" ON THE SOUTH FACE, THEN CONTINUES SOUTH ON THE SECTION LINE FOR 5,280 FEET TO THE 15" X 8" X 1-1/2" ROAD STONE HE SET MARKED "R/2M" ON THE WEST FACE; THEN CONTINUES SOUTH ON THE SECTION LINES FOR 5,280 FEET TO THE 3" X 15" X 19" ROAD STONE HE SET MARKED "R/1M" ON THE SOUTH FACE, THEN CONTINUES SOUTH ON THE SECTION LINES FOR 3,898 FEET TO THE STONE HE FOUND AT THE STANDARD CORNER TO SECTIONS 31 & 32-15-11 ON THE 3RD STANDARD PARALLEL; THEN CONTINUES SOUTH ON THE EAST LINE OF SECTION 6-15-11 FOR 1,432 FEET TO THE POINT WHERE THE SANTA FE TRAIL CROSSES SAID SECTION LINE TO BEGIN THE SECOND ROAD ON THIS ROAD SURVEY THAT WAS **REJECTED**

- 4) MATTHEW BROWN, DEPUTY COUNTY SURVEYOR, IN SURVEY NUMBER 76 IN TOWNSHIP 16 AND 101 IN TOWNSHIP 15, A ROAD SURVEY IN TOWNSHIPS 15 & 16, RANGE 10 DATED FEBRUARY 23 & 24, 1886 FOR THE SECOND ROAD PETITIONED BY MANLY B. SMITH, APPARENTLY **FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 19-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE FOR THE TERMINUS OF THIS ROAD THAT WAS **REJECTED**. SEE ROAD RECORD BOOK "C" ON PAGES 231 AND 232.

- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 141, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 141 FOR ROAD IN TOWNSHIP 15-11 FOR MANLY B. SMITH, PRINCIPAL PETITIONER, DATED SEPTEMBER 9 & 10, 1886, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 19-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE TO END THE FIRST ROAD THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS FIRST ROAD EXTENDS SOUTH ON THE SECTION LINES TO THE SOUTHEAST CORNER OF SECTION 31-15-11 ON THE 3RD STANDARD PARALLEL
 - 2) THE ROAD PETITIONED FROM THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 30-15-11 EXTENDING NORTH ON THE SECTION LINES FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 19-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE WAS **REJECTED** BY THE BOARD OF COUNTY COMMISSIONERS – SEE ROAD RECORD BOOK "C" ON PAGE 304 – WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR

- 6) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD 338 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 302 TO 304 PETITIONED BY MANLEY B. SMITH AND OTHERS FOR THE LOCATION OF A COUNTY ROAD IN TOWNSHIPS 15-11 AND 16-11 [PACKET 568 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON SEPTEMBER 9, 1886, WAS ESTABLISHED AS A 50 FOOT WIDE ROAD FROM THE PLACE OF BEGINNING TO THE NORTHEAST CORNER OF SECTION 30-15-11 **ONLY** ON OCTOBER 14, 1886 BY T. E. McMILLAN, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MARCH 9, 1887 BY ROLAND LAKIN, COUNTY CLERK, APPARENTLY **FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 19-16-11 ON THE LYON AND WABAUNSEE COUNTY LINE TO END THE ROAD PETITIONED ON THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THE ROAD PETITIONED FROM THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 19-15-11 EXTENDING SOUTH ON THE SECTION LINES FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 30-15-11 WAS **REJECTED** BY THE BOARD OF COUNTY COMMISSIONERS

CONTINUED ON PAGE 3

- 7) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN SURVEY NUMBER 117, A ROAD SURVEY RECORDED IN SURVEY BOOK "F" ON PAGE 198 DATED MAY 28, 1905 FOR L. N. NANCE, PRINCIPAL PETITIONER FOR A ROAD ON THE LYON AND WABAUNSEE COUNTY LINE IN TOWNSHIP 15, RANGES 10 & 11, SAID THAT **HE AND WABAUNSEE COUNTY SURVEYOR W. S. WHITLOCK SET A 20" X 14" X 2" STONE** AT THE CORNER TO SECTIONS 17-18-19-20 ON THE LYON AND WABAUNSEE COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE.
HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE COUNTY LINE FOR 80.28 CHAINS TO THE 15" X 7" X 3" STONE THEY SET FOR THE NORTHWEST CORNER OF SECTION 19-15-11 ON THE RANGE LINE, THEN CONTINUES WEST ON THE COUNTY LINE FOR 80.92 CHAINS TO THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 24-15-10, THEN CONTINUES WEST ON THE COUNTY LINE FOR 40.37 CHAINS TO THE STONE THEY FOUND AT THE NORTH 1/4 CORNER OF SECTION 23-15-10, THEN CONTINUES WEST ON THE COUNTY LINE FOR 40.37 CHAINS TO THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 23-15-10 TO BEGIN THIS ROAD SURVEY
 - 2) THIS ROAD EXTENDS EAST ON THE COUNTY LINE FOR 50.74 CHAINS TO THE 13" X 8" X 3" STONE THEY SET ON THE INDIAN LINE AT THE NORTHWEST CORNER OF LOT 1 ON THE NORTH SIDE OF THE NE1/4 OF SECTION 20-15-11, AT 29 FEET WEST AND 9 FEET NORTH OF A STONE GATE POST AND 30 FEET WEST OF A STONE WALL TO END THIS ROAD SURVEY
 - 3) 20.02 CHAINS SOUTH TO THE STONE THEY FOUND AT THE WEST 1/8TH CORNER OF THE NE1/4 OF SECTION 19-15-11
 - 4) 60.10 CHAINS SOUTH TO THE STONE THEY FOUND AT THE NORTHEAST CORNER OF THE SE1/4 OF THE SE1/4 OF SECTION 19-15-11 UNDER A FENCE
 - 5) 40.04 CHAINS NORTH TO THE STONE THEY FOUND AT THE WEST 1/4 CORNER OF SECTION 17-15-11 IN WABAUNSEE COUNTY
 - 6) 80.10 CHAINS NORTH TO THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 17-15-11 IN WABAUNSEE COUNTY
- 8) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN A ROAD SURVEY FOR ROAD NUMBER 597 RECORDED IN ROAD RECORD BOOK "D" ON PAGES 257 THROUGH 260 PETITIONED BY L. N. NANCE AND OTHERS FOR A ROAD ON THE LYON AND WABAUNSEE COUNTY LINE IN TOWNSHIPS 15-10 AND 15-11 [PACKET 744 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON MAY 28, 1905, WAS GRANTED AS A 50 FOOT WIDE ROAD, 25 FEET EACH SIDE OF THE COUNTY LINE, ON APRIL 6, 1905 AS NOTED BY W. H. MAPES, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND ATTESTED BY W. F. EGGERS, COUNTY CLERK, SAID THAT **HE AND WABAUNSEE COUNTY SURVEYOR W. S. WHITLOCK SET A 20" X 14" X 2" STONE** FOR THE NORTHWEST CORNER OF SECTION 20-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE. THEY RAN THE SECTION LINES FROM THE STONE THAT THEY FOUND AT THE NORTHWEST CORNER OF SECTION 17-15-11, THE STONE THAT THEY FOUND AT THE WEST 1/4 CORNER OF SECTION 17-15-11, THE STONE THEY FOUND AT THE EAST 1/8TH CORNER OF NORTHEAST 1/4 OF SECTION 19-15-11, AND THE STONE THEY FOUND AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 19-15-11 TO SET THIS STONE.
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE COUNTY LINE FOR 80.28 CHAINS TO THE 15" X 7" X 3" STONE THEY SET FOR THE NORTHWEST CORNER OF SECTION 19-15-11 ON THE RANGE LINE, THEN CONTINUES WEST ON THE COUNTY LINE FOR 80.92 CHAINS TO THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 24-15-10, THEN CONTINUES WEST ON THE COUNTY LINE FOR 40.37 CHAINS TO THE STONE THEY FOUND AT THE NORTH 1/4 CORNER OF SECTION 23-15-10, THEN CONTINUES WEST ON THE COUNTY LINE FOR 40.37 CHAINS TO

- THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 23-15-10 TO BEGIN THIS ROAD SURVEY
- 2) THIS ROAD EXTENDS EAST ON THE COUNTY LINE FOR 50.74 CHAINS TO THE 13" X 8" X 3" STONE THEY SET ON THE INDIAN LINE AT THE NORTHWEST CORNER OF LOT 1 ON THE NORTH SIDE OF THE NE1/4 OF SECTION 20-15-11, AT 29 FEET WEST AND 9 FEET NORTH OF A STONE GATE POST AND 30 FEET WEST OF A STONE WALL TO END THIS ROAD SURVEY
 - 3) 20.02 CHAINS SOUTH TO THE STONE THEY FOUND AT THE WEST 1/8TH CORNER OF THE NE1/4 OF SECTION 19-15-11
 - 4) 60.10 CHAINS SOUTH TO THE STONE THEY FOUND AT THE NORTHEAST CORNER OF THE SE1/4 OF THE SE1/4 OF SECTION 19-15-11 UNDER A FENCE
 - 5) 40.04 CHAINS NORTH TO THE STONE THEY FOUND AT THE WEST 1/4 CORNER OF SECTION 17-15-11 IN WABAUNSEE COUNTY
 - 6) 80.10 CHAINS NORTH TO THE STONE THEY FOUND AT THE NORTHWEST CORNER OF SECTION 17-15-11 IN WABAUNSEE COUNTY
- 9) COMMISSIONER'S ROAD JOURNAL BOOK "A", PAGE 44
 ON APRIL 5, 1915 A PETITION SIGNED BY FRANK SINGER AND OTHERS FOR THE LOCATION OF A ROAD IN TOWNSHIP 15-11 WAS PRESENTED TO THE BOARD OF COUNTY COMMISSIONERS. THE ROAD WAS VIEWED ON MAY 11, 1915, AND THE FINAL ORDER WAS ISSUED ON JUNE 11, 1915.
- 1) BEGINNING AT THE COUNTY LINE BETWEEN LYON COUNTY AND WABAUNSEE COUNTY AND RUN SOUTH ONE MILE ON THE SECTION LINE BETWEEN SECTIONS 19 AND 20 IN TOWNSHIP 15, RANGE 11 AND TERMINATE AT THE SECTION LINE BETWEEN SECTIONS 19 & 20 AND SECTIONS 30 & 29 IN TOWNSHIP 16, RANGE 11 [**NOTE:** THE ROAD WAS ONLY ONE MILE IN LENGTH SO IT TERMINATED IN TOWNSHIP 15, RANGE 11 – WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR]
 - 2) ROAD WAS GRANTED AT 40 FEET IN WIDTH
- 10) W. G. RUGGLES, COUNTY ENGINEER FROM 1915 TO 1928, IN A ROAD SURVEY FOR ROAD NUMBER 694 RECORDED IN ROAD RECORD BOOK "E" ON PAGE 51 PETITIONED BY FRANK SINGER AN OTHERS FOR A ROAD IN TOWNSHIP 15-11 [PACKET 785 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT WAS VIEWED BY THE COUNTY COMMISSIONERS AND THE COUNTY SURVEYOR ON MAY 11, 1915 AND WAS ORDERED OPENED ON JUNE 11, 1915 AS NOTED BY N. S. WENDLING, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, SAID THAT **HE FOUND THE SECTION CORNER STONE** AT THE NORTHWEST CORNER OF SECTION 20-15-11 ON THE LYON AND WABAUNSEE COUNTY LINE TO BEGIN THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS SOUTH ON THE SECTION LINES FOR 1 MILE TO THE CORNER STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 20-15-11 TO END THIS ROAD SURVEY
 - 2) THIS ROAD IS 40 FEET WIDE, 20 FEET EACH SIDE OF THE SECTION LINE
- 11) COMMISSIONER'S ROAD JOURNAL BOOK "B", PAGE 28
 ON OCTOBER 13, 1944 A PETITION SIGNED BY F. M. LOWDER AND OTHERS FOR THE **VACATION** OF A ROAD IN TOWNSHIP 15-11 WAS PRESENTED TO GEORGE K. JACKSON, COUNTY CLERK. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS AND E. C. GOLDSMITH, COUNTY ENGINEER, ON NOVEMBER 10, 1944 AND THE FINAL ORDER OF THE BOARD OF COUNTY COMMISSIONERS ON NOVEMBER 15, 1944 **VACATED** THE FOLLOWING ROAD:
- 1) BEGINNING AT THE NORTHWEST CORNER OF SECTION 20-15-11; THENCE EAST TO THE ROAD RUNNING SOUTH ALONG THE WEST LINES OF LOTS 1, 2, 3, AND 4 OF THE ABOVE NAMED SECTION; THENCE SOUTH ALONG THE WEST LINE OF

SAID LOTS 1, 2, 3 AND 4 TO THE SOUTH LIEN OF SAID SECTION AND ENDING THERE

- 2) THIS ROAD BEGINNING AT THE NORTHWEST CORNER OF SECTION 20-15-11; THANE RUNNING EAST TO THE ROAD RUNNING SOUTH ALONG THE WEST SIDE OF LOTS 1, 2, 3, AND 4 OF THE ABOVE NAMED SECTION; THENCE SOUTH ALONG THE WEST SIDE OF SAID LOTS 1, 2, 3 AND 4 TO THE SOUTH LINE OF SAID SECTION IS OF NO PUBLIC BENEFIT AND WE RECOMMEND THAT SAID ROAD BE VACATED AS PRAYED FOR IN THE PETITION.

NORTHWEST CORNER 20-15-11