

NORTHWEST CORNER SECTION 19, TOWNSHIP 15 SOUTH, RANGE 12 EAST

- 1) ON PAGE 27 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 21" X 15" X 2"** FOR THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE.

THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:

- 1) 39.90 CHAINS EAST ON THE COUNTY LINE TO THE 15" X 12" X 4" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 18 & 19-15-12
- 2) 79.90 CHAINS EAST ON THE COUNTY LINE TO THE 18" X 12" X 2-1/2" LIMESTONE SET FOR THE CORNER TO SECTIONS 17, 18, 19 & 20-15-12
- 3) 40.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY TO THE 16" X 14" X 4" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 19-15-12
- 4) 80.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY TO THE 18" X 14" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 19 & 30-15-12

- 2) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "F" ON PAGE 19 FOR A ROAD IN TOWNSHIPS 15 & 16, RANGE 11 FOR J. S. GRIMSLEY, PRINCIPAL PETITIONER, DATED AUGUST 8, 1882, SAID THAT **HE FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE RANGE LINE AND THE NORTH LINE OF LYON COUNTY TO BEGIN THIS ROAD SURVEY.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) THIS ROAD EXTENDS SOUTH ON THE RANGE LINE FOR 3 MILES TO THE SOUTHWEST CORNER OF SECTION 31-15-12 ON THE 3RD STANDARD PARALLEL; THEN EXTENDS WEST ON THE 3RD STANDARD PARALLEL FOR 640 FEET TO THE TOWNSHIP CORNER BETWEEN RANGE 11 & RANGE 12; THENCE SOUTH ON THE RANGE LINE FOR 1 MILE TO THE SOUTHEAST CORNER OF SECTION 1-16-11; THEN WEST ON THE SECTION LINES FOR 350 FEET TO AN ANGLE POINT; THEN N. 80° W. FOR 300 FEET TO AN ANGLE POINT; THEN S. 70° W. FOR 300 FEET TO INTERSECT THE SECTION LINE ON THE SOUTH SIDE OF SECTION 1-16-11 AND CONTINUES WEST ON THE SECTION LINES TO THE SOUTHWEST CORNER OF SECTION 2-16-11 AT THE TERMINUS OF THIS ROAD SURVEY

- 3) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY FOR ROAD NUMBER 186 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 330 TO 332 PETITIONED BY J. S. GRIMSLEY AND OTHERS FOR A COUNTY ROAD IN TOWNSHIPS 1511 & 16-11 [PACKET 401 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON AUGUST 8, 1882, AND WAS ESTABLISHED AS A 50 FOOT ROAD. EXCEPT FOR THE DISTANCE OF 80 RODS SOUTH OF THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF SECTION 1-16-11 WHICH SHALL BE 35 FEET, ON OCTOBER 5, 1882 AS NOTED BY HUGH F. HOLMES, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON OCTOBER 24, 1882 BY WILLIAM F. EWING, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE RANGE LINE AND THE LYON AND WABAUNSEE COUNTY LINE TO BEGIN THIS ROAD SURVEY.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 2) THIS ROAD EXTENDS SOUTH ON THE RANGE LINE FOR 3 MILES TO THE SOUTHWEST CORNER OF SECTION 31-15-12 ON THE 3RD STANDARD PARALLEL; THEN EXTENDS WEST ON THE 3RD STANDARD PARALLEL FOR 640 FEET TO THE TOWNSHIP CORNER BETWEEN RANGE 11 & RANGE 12; THENCE SOUTH ON THE RANGE LINE FOR 1 MILE TO THE SOUTHEAST CORNER OF SECTION 1-16-11; THEN WEST ON THE SECTION LINES FOR 350 FEET TO AN ANGLE POINT; THEN N. 80° W. FOR 300 FEET TO AN ANGLE POINT; THEN S. 70° W. FOR 300 FEET TO INTERSECT THE SECTION LINE ON THE SOUTH SIDE OF SECTION 1-16-11 AND

CONTINUES WEST ON THE SECTION LINES TO THE SOUTHWEST CORNER OF SECTION 2-16-11 AT THE TERMINUS OF THIS ROAD SURVEY

- 4) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 139, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 139 DATED SEPTEMBER 1 & 2, 1886 FOR S. HOLM, PRINCIPAL PETITIONER, FOR A ROAD ON THE WABAUNSEE COUNTY LINE, **APPARENTLY FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE RANGE LINE AND THE LYON AND WABAUNSEE COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD EXTENDS WEST ON THE COUNTY LINE FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 24-15-11 AT THE TERMINUS OF THIS ROAD SURVEY
 - 2) THIS ROAD EXTENDS EAST ON THE COUNTY LINE FOR 7 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 20-15-13 TO BEGIN THIS ROAD SURVEY

- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 340 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 310 TO 312 PETITIONED BY S. HOLM AND OTHERS FOR A ROAD ON THE LYON AND WABAUNSEE COUNTY LINE IN TOWNSHIPS 15-11, 15-12 AND 15-13 [PACKET 562 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON SEPTEMBER 1, 1886, WAS ESTABLISHED AS A 50 FOOT WIDE ROAD ON OCTOBER 15, 1886 BY T. E. McMILLAN, CHAIRMAN OF THE LYON COUNTY BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MARCH 10, 1887 BY ROLAND LAKIN, LYON COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE RANGE LINE AND THE LYON AND WABAUNSEE COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD EXTENDS WEST ON THE COUNTY LINE FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 24-15-11 AT THE TERMINUS OF THIS ROAD SURVEY
 - 2) THIS ROAD EXTENDS EAST ON THE COUNTY LINE FOR 7 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 20-15-13 TO BEGIN THIS ROAD SURVEY

- 6) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN SURVEY NUMBER 92, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "F" ON PAGE 172 DATED APRIL 12, 1904 AT THE REQUEST OF E. W. CHANDON FOR A SURVEY FOR THE PURPOSE OF LOCATING AND PERMANENTLY ESTABLISHING THE SOUTHWEST CORNER, THE SOUTH 1/4 CORNER, AND THE SOUTHEAST CORNER OF SECTION 24-15-11 AND RUN SUCH LINES AS MAY BE NECESSARY TO PROPERLY COMPLETE THE WORK, SAID THAT HE DID **NOT** FIND THE STONE AT THE NORTHWEST CORNER OF SECTION 19-15-12 ON THE RANGE LINE AND THE LYON AND WABAUNSEE COUNTY LINE ON THIS **PERMANENT SURVEY**. HIS FIELD NOTES ARE IN HIS BOOK 2 ON PAGE 34 IN THE "KRETSINGER COLLECTION" OF FIELD BOOKS, AND THERE IS ADDITIONAL INFORMATION IN PACKET "M 155" IN MISCELLANEOUS DRAWER NUMBER 8 IN THE VAULT IN THE COUNTY ENGINEER'S OFFICE.

- 7) COMMISSIONER'S ROAD JOURNAL BOOK "B", PAGE 53
ON FEBRUARY 23, 1949 A PETITION SIGNED BY GROVER FEE AND OTHERS FOR THE **VACATION** OF A ROAD IN TOWNSHIP 15-11 WAS PRESENTED TO GEORGE K. JACKSON, COUNTY CLERK. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS AND E. C. GOLDSMITH, COUNTY ENGINEER, ON MARCH 10, 1949

AND THE FINAL ORDER OF THE BOARD OF COUNTY COMMISSIONERS ON MAY 3, 1949 **VACATED** THE FOLLOWING ROAD:

- 1) BEGINNING AT THE NORTHWEST CORNER OF SECTION 24-15-11, THENCE RUNNING EAST ALONG THE COUNTY LINE BETWEEN LYON AND WABAUNSEE COUNTIES TO THE NORTHEAST CORNER OF SAID SECTION 24-15-11 AND ENDING THERE.

NORTHWEST CORNER 19-15-12