

**NORTHWEST CORNER SECTION 12, TOWNSHIP 16 SOUTH, RANGE 10 EAST**

- 1) ON PAGE 128 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 30" X 12" X 4"** FOR THE CORNER TO SECTIONS 1, 2, 11 & 12-16-10.  
THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) 39.95 CHAINS EAST TO THE 20" X 12" X 3" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 1 & 12-16-10
  - 2) 79.90 CHAINS EAST TO THE 18" X 12" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTION 1 & 12-16-10 ON THE EAST TOWNSHIP BOUNDARY
  
- 2) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY FOR ROAD NUMBER 72 RECORDED IN ROAD RECORD BOOK "A-1" ON PAGES 290 TO 292 PETITIONED BY J. W. BOWERSOCK AND OTHERS FOR A COUNTY ROAD IN TOWNSHIPS 16-10 AND 16-11 [PACKET 320 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON JUNE 22, 1880, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD ON JULY 13, 1880, AND WAS RECORDED ON JULY 19, 1880 BY WILLIAM F. EWING, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 3-16-10 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS ROAD EXTENDS WEST ON THE SECTION LINE FOR 4 MILES TO THE STONE THAT HE FOUND AT THE SOUTHWEST CORNER OF SECTION 5-16-10 TO COMMENCE THIS ROAD SURVEY
  - 2) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 5 MILES TO THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 3-16-11 AT THE TERMINUS OF THIS ROAD SURVEY
  
- 3) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "C" ON THE RIGHT SIDE PAGE 185 DATED JUNE 23, 1880, FOR A COUNTY ROAD IN TOWNSHIPS 16-10 & 16-11, APPARENTLY **FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 2-16-10 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS ROAD EXTENDS WEST ON THE SECTION LINE FOR 4 MILES TO THE STONE THAT HE FOUND AT THE SOUTHWEST CORNER OF SECTION 5-16-10 TO COMMENCE THIS ROAD SURVEY
  - 2) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 5 MILES TO THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 3-16-11 AT THE TERMINUS OF THIS ROAD SURVEY
  
- 4) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "F" ON PAGE 13 AND DATED JUNE 7, 1882, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 1-16-10 AT A TURN ON THIS ROAD SURVEY. HE USED THIS STONE AND THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 1-16-10 TO SET THE SOUTH 1/8<sup>TH</sup> STONE OF THE SOUTHWEST 1/4 OF SECTION 1-16-10 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) 20.03-1/4 CHAINS EAST TO THE STONE HE SET FOR THE SOUTH 1/8<sup>TH</sup> CORNER OF THE SW1/4 OF SECTION 1-16-10 AT A TURN IN THIS ROAD SURVEY
  - 2) 80.13 CHAINS EAST TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 1-16-10 ON THE RANGE LINE
  - 3) THIS 60 FOOT WIDE ROAD EXTENDS SOUTH ON THE SECTION LINES FOR 1 MILE TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 11-16-10 TO BEGIN THIS ROAD SURVEY
  - 4) THIS 60 FOOT WIDE ROAD EXTENDS EAST ON THE SECTION LINES FOR 1/4 OF A MILE TO THE STONE HE SET AT THE SOUTH 1/8<sup>TH</sup> CORNER OF SECTION 1-16-10; THEN CONTINUES NORTH AS A 50 FOOT WIDE ROAD TO INTERSECT THE

SANTA FE ROAD AT OR NEAR THE SOUTHEAST CORNER OF THE NW1/4 OF THE NW1/4 OF SECTION 1-16-10 AT THE TERMINUS OF THIS ROAD SURVEY

- 5) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN A ROAD SURVEY FOR ROAD NUMBER 171 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 270 TO 272 PETITION BY ROBERT HENDERSON AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 16-10 [PACKET 405 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON JUNE 7, 1882, WAS ESTABLISHED AS A 50 FOOT WIDE AND 60 FOOT WIDE ROAD ON OCTOBER 6, 1882 AS NOTED BY HUGH F. HOLMES, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON OCTOBER 20, 1882 BY WILLIAM F. EWING, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 11-16-10 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS 60 FOOT WIDE ROAD EXTENDS SOUTH ON THE SECTION LINES FOR 1 MILE TO THE STONE HE SET AT THE SOUTHEAST CORNER OF SECTION 11-16-10 TO BEGIN THIS ROAD SURVEY
  - 2) THIS 60 FOOT WIDE ROAD EXTENDS EAST ON THE SECTION LINES FOR 1/4 OF A MILE TO THE STONE HE SET AT THE SOUTH 1/8<sup>TH</sup> CORNER OF SECTION 1-16-10; THEN CONTINUES NORTH AS A 50 FOOT WIDE ROAD TO INTERSECT THE SANTA FE ROAD AT OR NEAR THE SOUTHEAST CORNER OF THE NW1/4 OF THE NW1/4 OF SECTION 1-16-10 AT THE TERMINUS OF THIS ROAD SURVEY
  
- 6) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN AN INFORMAL SURVEY RECORDED IN SURVEY BOOK "D" ON PAGE 153 DATED APRIL 23, 1883 AT THE REQUEST OF WORRALL AND GIST TO SURVEY SECTION 2-16-10, SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 2-16-10 ON THIS INFORMAL SURVEY.  
HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
  - 1) 40.13 CHAINS WEST TO THE STONE HE SET FOR THE SOUTH 1/4 CORNER OF SECTION 2-16-10
  - 2) 80.26 CHAINS WEST TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 2-16-10
  - 3) 40.00 CHAINS NORTH TO THE STONE HE SET FOR THE EAST 1/4 CORNER OF SECTION 2-16-10
  - 4) 79.02 CHAINS NORTH TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 2-16-10 ON THE 3<sup>RD</sup> STANDARD PARALLEL
  
- 7) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 121, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "E" ON PAGE 121 DATED SEPTEMBER 14 & 15, 1885 ORDERED BY SAMUEL RALY TO SURVEY AND LOCATE THE NORTHEAST CORNER OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 1-16-10, SAID THAT **FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 1-16-10 ON THIS **PERMANENT SURVEY**.  
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
  - 1) 3,960' NORTH TO THE TEMPORARY STAKE HE SET FOR THE WEST 1/8<sup>TH</sup> CORNER OF THE NW1/4 OF SECTION 1-16-10
  - 2) 5,346' NORTH TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 1-16-10 ON THE 3<sup>RD</sup> STANDARD PARALLEL
  
- 8) MATTHEW BROWN, COUNTY SURVEYOR FROM 1888 TO 1900, AND 1914, IN A ROAD SURVEY FOR ROAD NUMBER 413 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 570 TO 572 PETITIONED BY L. A. GRIMSLEY FOR A ROAD IN TOWNSHIPS 15-10 AND 16-10 [PACKET 652 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON AUGUST 22, 1894, WAS ESTABLISHED AS A 40 AND 60 FOOT WIDE ROAD ON OCTOBER 6, 1894 AS NOTED BY J. A. MILLER, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS AND ATTESTED BY C. W. WILHITE, COUNTY

CLERK, AND RECORDED ON JUNE 28, 1895 BY MATTHEW BROWN, COUNTY SURVEYOR, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 1-16-10 TO BEGIN THIS ROAD SURVEY.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

1) THIS 60 FOOT ROAD EXTENDS NORTH ON THE SECTION LINES FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 1-16-10 ON THE 3<sup>RD</sup> STANDARD PARALLEL, THEN EXTENDS EAST ON THE 3<sup>RD</sup> STANDARD PARALLEL TO THE ROAD STONE HE SET AT 30 FEET EAST OF THE SOUTHWEST CORNER OF SECTION 36-15-10, THEN EXTENDS NORTH PARALLEL TO THE SECTION LINE TO THE NORTH BANK OF BLUFF CREEK IN THE SW1/4 OF SECTION 36-15-10, THEN WEST 30 FEET TO THE SECTION LINE, THEN CONTINUES NORTH ON THE SECTION LINES AS A 40 FOOT ROAD TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 24-15-10 ON THE LYON AND WABAUNSEE COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY

9) COMMISSIONER'S ROAD JOURNAL BOOK "B", PAGE 210

ON MAY 3, 1993, A PETITION SIGNED BY C. W. SOBKE AND OTHERS FOR THE **VACATION** OF A ROAD IN TOWNSHIP 16-10 WAS PRESENTED TO KAREN K. HARTENBOWER, COUNTY CLERK. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS ON MAY 27, 1993 AND THE FINAL ORDER DATED JUNE 3, 1993 ORDERED THAT THE FOLLOWING ROAD BE **VACATED**:

1) THAT PORTION OF A ROAD BEGINNING AT THE WESTERLY RIGHT-OF-WAY LINE OF ROAD "F", BEING 30 FEET WEST OF THE SOUTHEAST CORNER OF SECTION 2-16-10; THENCE WEST ON THE SOUTH LINE OF SAID SECTION 2-16-10 TO THE ROAD ESTABLISHED ON PAGE 290 OF ROAD RECORD BOOK "B" AT THE COUNTY ENGINEERS OFFICE APPROXIMATELY ONE-HALF MILE TO THE SOUTH QUARTER CORNER OF SAID SECTION 2-16-10 AND ENDING THERE.

NORTHWEST CORNER 12-16-10