

**NORTHWEST CORNER SECTION 32, TOWNSHIP 16 SOUTH, RANGE 11 EAST**

- 1) ON PAGE 300 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 30" X 16" X 3"** FOR THE CORNER TO SECTIONS 29, 30, 31 & 32-16-12.  
THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) 40.00 CHAINS EAST TO THE 16" X 20" X 10" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 29 & 32-16-12
  - 2) 57.62 CHAINS EAST TO THE 13" X 13" X 4" LIMESTONE THEY SET ON THE EAST BOUNDARY OF THE KANSAS INDIAN RESERVATION
  - 3) 79.62 CHAINS EAST TO THE 25" X 9" X 6" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 28, 29, 32 & 33-16-12
  
- 2) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, BY FRANK P. MACLEMAN, DEPUTY COUNTY SURVEYOR, IN A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "C" ON PAGE 207 AND DATED MAY 1878, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 29-16-11 ON THIS **PERMANENT SURVEY**.
  
- 3) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY RECORDED IN ROAD RECORD BOOK "A-1" ON PAGES 210 & 211 FOR A PETITION BY A. L. SANDERS [PACKET 129 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] DATED JUNE 1879, SAID THAT HE BEGAN THIS ROAD SURVEY FOR A **40 FOOT WIDE ROAD AT A POINT 80 RODS WEST** OF THE NORTHEAST CORNER OF SECTION 31-16-11.
  
- 4) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY FOR ROAD NUMBER 95 RECORDED IN ROAD RECORD BOOK "A-1" ON PAGES 382 TO 384 PETITIONED BY JESSE FOSTER AND OTHERS FOR A COUNTY ROAD IN TOWNSHIPS 16-10 AND 16-11 [PACKET 231 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON NOVEMBER 27, 1880, WAS ESTABLISHED AS A **40 FOOT WIDE ROAD** ON JANUARY 5, 1881, AND WAS RECORDED ON JANUARY 5, 1881 BY WILLIAM F. EWING, COUNTY CLERK SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 31-16-11, AT WHICH POINT THE VIEWERS CAUSED THIS ROAD SURVEY TO TERMINATE.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 4,964' TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 36-16-10 ON THE RANGE LINE; THEN CONTINUES WEST ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 36-16-10 TO COMMENCE THIS ROAD SURVEY
  - 2) THIS ROAD EXTENDS EAST ON THE SECTION LINE OVER SEVERAL ANGLE POINTS TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 32-16-11
  
- 5) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "C" ON PAGE 197 DATED NOVEMBER 27, 1880, FOR A ROAD SURVEY IN TOWNSHIPS 16-10 & 16-11 APPARENTLY **FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 31-16-11 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 4,964' TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 36-16-10 ON THE RANGE LINE; THEN CONTINUES WEST ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 36-16-10 TO COMMENCE THIS ROAD SURVEY

- 2) THIS ROAD EXTENDS EAST ON THE SECTION LINE OVER SEVERAL ANGLE POINTS TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 32-16-11
- 6) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "F", ON PAGE 75 DATED NOVEMBER 27, 1883 FOR A ROAD IN TOWNSHIP 16, RANGES 10, 11, 12 & 13 FOR L. W. HUTCHINSON, PRINCIPAL PETITIONER, APPARENTLY **FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 30-16-11 ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 3 MILES TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 26-16-10; THEN NORTH ON THE SECTION LINE FOR 1/4 OF A MILE TO THE STONE HE FOUND OR SET; THEN EXTENDS WEST ON THE SOUTH SIDE OF THE LINE TO THE STONE HE SET A 1/4 OF A MILE NORTH OF THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 28-16-10; THEN SOUTH ON THE EAST SIDE OF THE SECTION LINE FOR 1/4 OF A MILE TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 28-16-10; THEN WEST ON THE SECTION LINES FOR 1-1/2 MILE TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 29-16-10 TO BEGIN THIS ROAD SURVEY
- 2) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 5 MILES TO THE SOUTHWEST CORNER OF SECTION 30-16-12 ON THE RANGE LINE; THEN EAST ON THE SECTION LINES FOR 2 MILES TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 28-16-12; THEN SEE THE SURVEY FOR THE ALIGNMENT ON THE SOUTH LINE OF SECTION 28-16-12 TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 28-16-12; THENCE EAST ON THE SECTION LINES OVER A ROAD ALREADY LAID OUT FOR 4-3/4 MILES TO THE SOUTHEAST CORNER OF THE SW1/4 OF THE SE1/4 OF SECTION 29-16-13 AT THE TERMINUS OF THE ROAD ALLOWED ON THIS ROAD SURVEY.
- 7) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY FOR ROAD NUMBER 248 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 578 TO 580 PETITION BY L. W. HUTCHASON AND OTHERS FOR A COUNTY ROAD IN TOWNSHIPS 16-10, 16-11, 16-12 AND 16-13 [PACKET 483 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED IN NOVEMBER 1884, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD, **EXCEPT** ON THE SOUTH LINE OF SECTION 28-16-12 ITS WIDTH IS TO BE 80 FEET FOR 8 RODS, ON JANUARY 11, 1884 AS NOTED BY JOHN E. JONES, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON JANUARY 30, 1884 BY ROLAND LARKIN, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 30-16-11 THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 3 MILES TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 26-16-10; THEN NORTH ON THE SECTION LINE FOR 1/4 OF A MILE TO THE STONE HE FOUND OR SET; THEN EXTENDS WEST ON THE SOUTH SIDE OF THE LINE TO THE STONE HE SET A 1/4 OF A MILE NORTH OF THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 28-16-10; THEN SOUTH ON THE EAST SIDE OF THE SECTION LINE FOR 1/4 OF A MILE TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 28-16-10; THEN WEST ON THE SECTION LINES FOR 1-1/2 MILE TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 29-16-10 TO BEGIN THIS ROAD SURVEY
- 2) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 5 MILES TO THE SOUTHWEST CORNER OF SECTION 30-16-12 ON THE RANGE LINE; THEN EAST ON THE SECTION LINES FOR 2 MILES TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 28-16-12; THEN SEE THE SURVEY FOR THE

ALIGNMENT ON THE SOUTH LINE OF SECTION 28-16-12 TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 28-16-12; THENCE EAST ON THE SECTION LINES OVER A ROAD ALREADY LAID OUT FOR 4-3/4 MILES TO THE SOUTHEAST CORNER OF THE SW1/4 OF THE SE1/4 OF SECTION 29-16-13 AT THE TERMINUS OF THE ROAD ALLOWED ON THIS ROAD SURVEY.

- 8) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 47, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "E" ON PAGE 47 DATED JULY 21, 1884 AT THE REQUEST OF M. L. WILLARD AND J. K. PETERMAN TO LOCATE THE CORNER TO SECTIONS 19, 20, 29 & 30-16-11 AND RESURVEYED SEPTEMBER 30, 1884 BY MATTHEW BROWN, SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 30-16-11 ON THIS **PERMANENT SURVEY**. HE USED THIS STONE AND THE STONE THAT HE FOUND AT THE EAST 1/4 CORNER OF SECTION 19-16-11 TO SET A 3" X 8" X 2' STONE FOR THE PERMANENT CORNER TO SECTIONS 19, 20, 29 & 30-16-11 ON THIS **PERMANENT SURVEY**. THIS SURVEY WAS DATED JULY 21, 1884 AND RESURVEYED SEPTEMBER 30, 1884 AND RECORDED IN MISCELLANEOUS VOLUME 41 ON PAGE 23 IN THE REGISTER OF DEEDS OFFICE ON JANUARY 27, 1887, AND SURVEY F19001 IN THE SURVEY FILE FOR TOWNSHIP 16-11 IS A COPY OF THIS SURVEY.

HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 5,313' NORTH [BY HIS NOTES] TO THE 3" X 8" X 2' STONE HE SET FOR THE PERMANENT SOUTHEAST CORNER OF SECTION 19-16-11 [5,293' ON HIS DRAWING – BUT HIS NOTES SAID THAT HE SET THE TEMPORARY CORNER AT 5,280 FEET NORTH OF THE SOUTHEAST CORNER OF SECTION 30-16-11 AND THEN MOVED IT 33 FEET NORTH FOR A TOTAL OF 5,313 FEET]
  - 2) 7,970' NORTH TO THE STONE HE FOUND AT THE EAST 1/4 CORNER OF SECTION 19-16-11
- 10) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN SURVEY NUMBER 37, A **ROAD/PERMANENT SURVEY** RECORDED IN SURVEY BOOK "E" ON PAGE 218 DATED FEBRUARY 18, 1902 FOR A COUNTY ROAD IN TOWNSHIP 17-11 PETITIONED BY W. B. DeBAUN AND OTHERS TO ESTABLISH THE ROAD BETWEEN SECTIONS 5 & 6-17-11, AND ORDERED BY THE BOARD OF COUNTY COMMISSIONERS TO LOCATE THE SECTION LINE BETWEEN SECTIONS 5 & 6-17-11 ON OCTOBER 2, 1902, SAID THAT THERE IS A DISCREPANCY OF ABOUT 11 RODS IN THE GOVERNMENT FIELD NOTES ON THE NORTH LINES OF SECTIONS 6 & 17 IN TOWNSHIP 17-11, AND THAT IT WOULD BE IMPRACTICAL TO LOCATE THE NORTHWEST CORNER OF SECTION 5-17-11 BY MEASUREMENT. **HE FOUND THE GOVERNMENT STONE WHICH STANDS ON LINE WITH A STONE FENCE ON THE EAST SIDE OF THE ROAD** AT THE NORTHWEST CORNER OF SECTION 32-16-11 ON THIS **ROAD/PERMANENT SURVEY**.
- 11) COMMISSIONER'S ROAD JOURNAL BOOK "A", PAGE 153  
ON JUNE 16, 1937 A PETITION SIGNED BY MARK GRIMSLEY FOR THE **VACATION** OF THREE ROADS IN TOWNSHIP 16-11 WAS PRESENTED TO THE BOARD OF COUNTY COMMISSIONERS. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS ON JULY 19, 1937, AND THE FINAL ORDER DATED AUGUST 4, 1937 **VACATED** THE FOLLOWING ROAD:
- 1) ROAD NUMBER 2; BEGINNING AT THE NORTHWEST CORNER OF SECTION 32-16-11 AND RUNNING THENCE EAST ON THE SECTION LINE ONE AND ONE-HALF (1-1/2) MILES AND ENDING THERE
  - 2) SAID ROAD SHOULD BE VACATED. UPON VIEWING THE ROAD PRAYED FOR IN THE PETITION, THE VIEWERS FOUND THAT A PART OF THE ROAD HAD ALREADY BEEN CLOSED TO TRAFFIC BY FENCES BEING BUILT THEREON, AND THERE WAS NO PART OF THE ROAD WHICH WAS TRAVELABLE, THEREFOR, BEING OF NO UTILITY TO THE PUBLIC AS A HIGHWAY.

- 3) IT WAS FURTHER DETERMINED THAT THERE WAS NO INTEREST IN MAINTAINING A ROAD IN THIS LOCATION AND APPARENTLY NO INCONVENIENCE CAUSED LANDOWNERS IN THE VICINITY OF ITS VACATION.
  - 4) WE, THEREFORE, UNANIMOUSLY DECIDED TO VACATE THE ROAD.
- 12) COMMISSIONERS ROAD JOURNAL BOOK "B" ON PAGE 108:  
IT WAS NOTED THAT THE FOLLOWING ROAD WAS **CLOSED** UNDER THE PROVISIONS OF 68-102 OF THE GENERAL STATUTES SUPPLEMENT 1953 BY A RESOLUTION OF THE BOARD OF COUNTY COMMISSIONERS DATED JULY 20, 1957:
- 1) BEGINNING AT THE NORTHEAST CORNER OF SECTION 31-16-11, THENCE WEST 1/4 OF A MILE AND THERE ENDING.

NORTHWEST CORNER SECTION 32-16-11