

**NORTHWEST CORNER SECTION 07, TOWNSHIP 17 SOUTH, RANGE 10 EAST**

- 1) ON PAGE 36 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 24" X 15" X 3"** FOR THE CORNER TO SECTIONS 6 & 7-17-10 ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE.

THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 38.88 CHAINS EAST TO THE 16" X 14" X 3" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 6 & 7-17-10
  - 2) 78.88 CHAINS EAST TO THE 20" X 12" X 4" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 5, 6, 7 & 8-17-10
  - 3) 40.00 CHAINS NORTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 18" X 12" X 5" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 6-17-10
  - 4) 80.00 CHAINS NORTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 24" X 12" X 6" LIMESTONE THEY SET FOR THE CORNER TO TOWNSHIPS 16 & 17 SOUTH, RANGES 9 & 10 EAST
  - 5) 40.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 18" X 14" X 3" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 7-17-10
  - 6) 80.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 24" X 13" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 7 & 18-17-10
- 2) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY FOR ROAD NUMBER 215 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 446 TO 448 PETITION BY E. BARCLAY AND OTHERS FOR A ROAD ON THE LYON AND MORRIS COUNTY LINE BETWEEN TOWNSHIPS 16-10 AND 17-10 [PACKET 458 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON MAY 28 AND JUNE 1, 1883, AND WAS ESTABLISHED AS A 50 FOOT WIDE ROAD FROM THE BEGINNING, WHICH IS THE NORTHWEST CORNER OF SECTION 18-17-10, TO THE FOOT OF THE HILL WHERE AN ANGLE IS MADE NEAR THE WEST LINE OF THE NORTHWEST 1/4 OF SECTION 30-16-10, AND IT IS 40 FEET WIDE FROM THERE TO THE TERMINUS OF THIS ROAD SURVEY, AS NOTED BY J. E. JONES, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, SAID THAT **HE FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 7-17-10 ON THE RANGE LINE AND THE LYON AND MORRIS COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE.
- HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS NORTH ON THE COUNTY LINE FOR 1 MILE AND 154-1/2 RODS TO AN ANGLE STONE MARKED "R+" HE SET TO BEGIN NUMEROUS ANGLES AND INTERSECTS THE COUNTY LINE AT THE WEST 1/16<sup>TH</sup> CORNER OF THE SW1/4 OF SECTION 19-16-10; THEN CONTINUES NORTH ON THE COUNTY LINE FOR 3/4 OF A MILE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 19-16-10 AT THE TERMINUS OF THIS ROAD SURVEY
  - 2) THIS ROAD EXTENDS SOUTH ON THE COUNTY LINE FOR 1 MILE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 18-17-10 TO COMMENCE THIS ROAD SURVEY
- 3) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 122, A ROAD SURVEY RECORDED IN SURVEY RECORD BOOK "E" ON PAGE 122 FOR A ROAD IN TOWNSHIP 17-10 DATED SEPTEMBER 16 & 17, 1885 FOR JOAB BRIDGES, PRINCIPAL PETITIONER, SAID THAT **HE FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 7-17-10 ON THE RANGE LINE AND THE LYON AND MORRIS COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY.

HIS INFORMATION IS CONTINUED ON PAGE 2

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

1) THIS ROAD EXTENDS EAST ON THE SECTION LINES WITH A DEVIATION IN THE NORTHEAST 1/4 OF SECTION 8-17-10 TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 11-17-10 TO BEGIN THIS ROAD SURVEY. HE NOTED THAT THERE WAS ALREADY A ROAD ESTABLISHED ON THE SECTION LINE BETWEEN SECTIONS 4 & 9.

- 4) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD 310 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 190 TO 192 PETITIONED BY JOAB BRIDGES AND OTHERS FOR THE LOCATION OF TWO ROADS AND THE VACATION OF ONE ROAD IN TOWNSHIP 17-10 [PACKET 575 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE], THAT HE SURVEYED ON SEPTEMBER 16, 1885, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD ON JANUARY 8, 1886 AS NOTED BY JOHN L. BUTLER, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND WAS RECORDED ON FEBRUARY 4, 1886 BY ROLAND LAKIN, COUNT CLERK, SAID THAT **HE FOUND THE STONE** ON THE RANGE LINE AND THE LYON AND MORRIS COUNTY LINE AT THE NORTHWEST CORNER OF SECTION 7-17-10 AT THE TERMINUS OF THE SECOND ROAD ON THIS ROAD SURVEY. THE ROAD VACATED WAS ALL OF A CERTAIN COUNTY ROAD THAT RUNS DIAGONALLY THROUGH THE NORTHEAST 1/4 OF SECTION 8-17-10 AS FOLLOWS: COMMENCING AT 47 RODS EAST OF WHERE THE KAW RESERVE LINE CROSSES THE NORTH LINE OF SECTION 8-18-10, THENCE S. 28°40' E. FOR 80 RODS, THENCE N. 88° E. FOR 48 RODS TO INTERSECT THE SECTION LINE BETWEEN SECTIONS 8 & 9 AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE NORTHEAST 1/4 OF SECTION 8-17-10.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

1) THIS SECOND ROAD EXTENDS EAST ON THE SECTION LINES FOR 1-1/2 MILES TO THE STONE HE FOUND AT THE NORTH 1/4 CORNER OF SECTION 8-17-10; THENCE SOUTHEASTERLY FOR 1,165 FEET TO A STONE HE SET AT 10 FEET SOUTH OF THE SECTION LINE; THEN N. 84°52' E. FOR 480 FEET TO AN ANGLE STONE HE SET; THEN N. 80°55' E. FOR 544 FEET TO AN ANGLE STONE HE SET, THEN N. 54°30' E. FOR 94.7 FEET TO AN ANGLE STONE HE SET ON THE SECTION LINE, THEN EAST ON THE SECTION LINE FOR 366 FEET TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 8-17-10 TO COMMENCE THE SECOND ROAD ON THIS ROAD SURVEY

- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, BY MATTHEW BROWN, DEPUTY COUNTY SURVEYOR, IN SURVEY NUMBER 93, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "F" ON PAGE 99 DATED JUNE 17-30, 1886 AND RECORDED IN MISCELLANEOUS VOLUME 36 ON PAGES 495 & 496 IN THE REGISTER OF DEEDS OFFICE ON SEPTEMBER 2, 1886, TO ESTABLISH THE MISSING CORNERS AND SUBDIVIDE SECTION 7-17-10, SAID THAT **HE SET A 15" X 12" X 2" STONE MARKED WITH ONE NOTCH ON THE NORTH EDGE AND FIVE NOTCHES ON THE SOUTH EDGE** FOR THE PERMANENT NORTHWEST CORNER OF SECTION 7-17-10 ON THE RANGE LINE AND THE LYON AND MORRIS COUNTY LINE ON THIS SURVEY ON THE RANGE LINE AT THE PRORATED DISTANCE BETWEEN THE STONE THAT HE FOUND AT THE TOWNSHIP CORNER AT THE NORTHWEST CORNER OF SECTION 6-17-10 AND THE STONE THAT HE FOUND AT THE SOUTHWEST CORNER OF SECTION 7-17-10 ON THIS **PERMANENT SURVEY**.

HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 79.53 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE FOUND AT THE TOWNSHIP CORNER AT THE NORTHWEST CORNER OF SECTION 6-17-10
- 2) 39.76 CHAINS SOUTH ON THE RANGE LINE AND THE COUNTY LINE TO THE 18" X 12" X 4" STONE MARKED "1/4" ON THE WEST FACE HE SET FOR THE PERMANENT WEST 1/4 CORNER OF SECTION 7-17-10

HIS INFORMATION IS CONTINUED ON PAGE 3

- 3) 55.20 CHAINS SOUTH ON THE RANGE LINE AND THE COUNTY LINE TO THE 18" X 11" X 4" PROPERTY STONE MARKED "60" HE SET ON THIS SURVEY
  - 4) 79.52 CHAINS SOUTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 7-17-10
  - 5) 38.44 CHAINS EAST TO THE 15" X 14" X 6" STONE MARKED "1/4" HE SET FOR THE PERMANENT NORTH 1/4 CORNER OF SECTION 7-17-10
  - 6) 58.44' EAST TO THE STONE HE SET FOR THE PERMANENT NORTH 1/8<sup>TH</sup> CORNER OF THE NE1/4 OF SECTION 7-17-10
  - 7) 78.44 CHAINS EAST TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 7-17-10
- 6) A SURVEY IN THE SURVEY DRAWER FOR TOWNSHIP 17-10 LABELED "SURVEY FOR SCOTT MOUSE HOCH" WITH NO NAME OR DATE SHOWS A **STONE** AT THE NORTHWEST CORNER OF SECTION 7-17-10 ON THE RANGE LINE AND THE LYON AND MORRIS COUNTY LINE.
- 1) 30.4' NW TO A STONE POST
  - 2) 21.75' WEST TO A STONE POST
  - 3) 26.5' SE TO A STONE POST

NORTHWEST CORNER 07-17-10