

NORTHWEST CORNER SECTION 06, TOWNSHIP 18 SOUTH, RANGE 10 EAST

- 1) ON PAGE 35 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 24" X 12" X 4"** FOR THE CORNER TOWNSHIPS 17 & 18 SOUTH, RANGES 9 & 10 EAST ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE ON JANUARY 6, 1861 AT THE NORTHWEST CORNER OF SECTION 6-18-10.

THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 37.60 CHAINS EAST ON THE TOWNSHIP LINE TO THE 18" X 12" X 3" LIMESTONE THEY SET FOR THE NORTH 1/4 CORNER OF SECTION 6-18-10
 - 2) 77.60 CHAINS EAST ON THE TOWNSHIP LINE TO THE 18" X 14" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 5 & 6-18-10
 - 3) 30.24 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 28" X 13" X 4" LIMESTONE THEY SET ON THE SOUTH BOUNDARY OF THE KANSAS INDIAN RESERVATION
 - 4) 40.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 36" X 12" X 4" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 6-18-10
 - 5) 80.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 41" X 12" X 4" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 6 & 7-18-10
- 2) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A **PERMANENT SURVEY** RECORDED IN THE REGISTER OF DEEDS OFFICE, SURVEY F30001 IN THE SURVEY FILE FOR TOWNSHIP 17-10 DATED APRIL 26-30, 1880 TO ESTABLISH THE NORTHEAST CORNER OF THE SOUTHEAST 1/4, THE NORTH CORNER OF THE SOUTHEAST 1/4, THE NORTHWEST CORNER OF THE SOUTHWEST 1/4, THE NORTHWEST CORNER OF THE NORTHWEST 1/4, AND THE NORTH CORNER OF TH NORTHWEST 1/4 IN SECTION 31-17-10, AND ALSO THE SOUTH CORNER OF THE NORTHWEST 1/4 AND THE NORTHEAST CORNER AND THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 30-17-10, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 31-17-10 AT THE TOWNSHIP CORNER AND THE MORRIS, CHASE AND LYON COUNTY LINE ON THIS **PERMANENT SURVEY**.

HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 39.96 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE SET FOR THE PERMANENT WEST 1/4 CORNER OF SECTION 31-17-10
- 2) 79.92 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE SET FOR THE PERMANENT NORTHWEST CORNER OF SECTION 31-17-10 FROM WITNESS TREES
- 3) 119.92 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE TEMPORARY WEST 1/4 CORNER OF SECTION 30-17-10
- 4) 139.92 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE SET FOR THE PERMANENT WEST 1/16TH CORNER OF THE NW1/4 OF SECTION 30-17-10
- 5) 159.92 CHAINS NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STAKE HE PLANTED FOR THE NORTHWEST CORNER OF SECTION 30-17-10

- 3) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY FOR ROAD NUMBER 119 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 62 TO 64 PETITIONED BY J. A. STANLEY AND OTHERS FOR A COUNTY ROAD ON THE LYON/MORRIS COUNTY LINE BETWEEN TOWNSHIPS 17-9 AND 17-10 [PACKET 380 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON SEPTEMBER 23, 1878, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD, **EXCEPT** AT THE CROSSING OF THE NEOSHO RIVER [IN SECTION 25-17-9] WHERE IT WILL BE 100 FEET WIDE, ON JULY 8, 1881 AS NOTED BY J. M. GRIFFITH, CHAIRMAN OF THE

LYON COUNTY BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON JULY 13, 1881 BY WILLIAM F. EWING, LYON COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 31-17-10 ON THE RANGE LINE AND THE LYON, MORRIS AND CHASE COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY ON THE COUNTY LINE.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) THIS ROAD EXTENDS NORTH ON THE COUNTY LINE TO THE NORTHWEST CORNER OF THE SW1/4 OF SECTION 30-17-10; THEN EXTENDS WEST ON THE SECTION LINE INTO CHASE COUNTY FOR 1,320 FEET; THEN EXTENDS SOUTH ON THE 1/4 OF 1/4 SECTION LINE FOR 2,640 FEET [SURVEY NOTE CALLS FOR 5,280 FEET]; THEN EXTENDS EAST ON THE 1/2 SECTION LINE FOR 1,320 FEET TO THE NORTHWEST CORNER OF SECTION 30-17-10; THEN EXTENDS NORTH ON THE COUNTY LINE TO THE NORTHWEST CORNER OF SECTION 18-17-10 AT THE TERMINUS OF THIS ROAD SURVEY

- 4) CHARLES S. NESBIT, CHASE COUNTY SURVEYOR, IN A ROAD SURVEY FOR ROAD NUMBER 281 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 74 TO 76 PETITIONED BY JOHN BOND AND OTHERS FOR A ROAD ON THE CHASE/LYON COUNTY LINE [PACKET 552 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON DECEMBER 18, 1884, WAS ESTABLISHED AS A 45 FOOT WIDE ROAD ON JANUARY 9, 1885 AS NOTED BY P. Y. HALLBERG, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MARCH 17, 1885 BY ROLAND LAKIN, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE CORNER TO TOWNSHIPS 17 & 18 OF RANGES 9 & 10 ON THE CHASE, LYON AND MORRIS COUNTY LINE TO BEGIN THIS ROAD SURVEY ON THE COUNTY LINE.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD EXTENDS SOUTH ON THE COUNTY LINE FOR 5 MILES TO THE STONE HE FOUND AT THE CORNER TO SECTIONS 30 & 31-18-10 AT THE TERMINUS OF THIS ROAD SURVEY

- 5) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN SURVEY NUMBER 81, A JOINT **PERMANENT SURVEY** WITH THE MORRIS COUNTY SURVEYOR ON THE LYON AND MORRIS COUNTY LINE RECORDED IN SURVEY BOOK "F" ON PAGE 160 AND DATED SEPTEMBER 4, 1903, AT THE REQUEST OF THE COUNTY COMMISSIONERS, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 31-17-10 ON THE RANGE LINE AND THE MORRIS, CHASE AND LYON COUNTY LINE TO BEGIN THIS **PERMANENT SURVEY**. HIS FIELD NOTES ARE IN HIS BOOK 2 ON PAGE 8 IN THE "KRETSINGER COLLECTION" OF FIELD BOOKS.
 - 1) A STONE POST BEARS N. 46°15' E. AT 28-1/2 FEET
 - 2) A WOOD CORNER POST BEARS N. 55° W. AT 32 FEET
 - 3) A WOOD CORNER POST BEARS S. 44° 30' E. AT 38 FEET

- 6) J. HARRISON PARKMAN, COUNTY SURVEYOR FROM 1907 TO 1915, BY J. MAX YINGLING, DEPUTY COUNTY SURVEYOR, IN A **PERMANENT SURVEY** RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 61 IN A NOTICE FROM ARTHUR SMITH, MORRIS COUNTY SURVEYOR, FOR A SURVEY TO ESTABLISH THE SOUTHEAST CORNER OF SECTION 36-17-9 ON THE CHASE, LYON AND MORRIS COUNTY LINE, IT HAVING BEEN CLAIMED THAT THE GOVERNMENT STONE HAD BEEN MOVED WEST OF ITS ORIGINAL POSITION SAID THAT HE MET WITH THE MORRIS COUNTY AND CHASE COUNTY SURVEYORS ON APRIL 26, 1910 TO BEGIN THIS SURVEY ON THE LYON, MORRIS AND CHASE COUNTY LINE. AFTER SURVEYING THE COUNTY LINE FROM THE STONE THAT HE FOUND AT NORTHWEST CORNER OF SECTION 30-17-10 TO THE STONE THAT FOUND AT THE WEST 1/4 CORNER OF SECTION 18-18-10, AND CHECKING WITH STONES THAT FOUND TO THE WEST OF THIS CORNER ON THE COUNTY LINE, HE MADE THE FOLLOWING COMMENTS: "THEREFORE, THE

GOVERNMENT STONE AT THE SOUTHWEST CORNER OF SEC. 31, TOWN 17, RANGE 10 EAST BEING FOUND SECURELY SET IN THE GROUND AND BY ALL EVIDENCE OBTAINABLE HAVING NEVER BEEN MOVED FROM ITS ORIGINAL LOCATION, AND ITS PRESENT POSITION BEING EQUALLY DISTANT FROM THE REACHED BY TRANSIT LINE AS RUN IN FORM THE NORTH AND SOUTH OVER SUCH STONES AS WERE AVAILABLE, AND THE SURPLUS OF LAND AS SHOWN BY CHAINING WEST TO STONE AND EAST TO CENTER OF ROAD BEING EQUALLY DIVIDED, IT WAS UNANIMOUSLY AGREED BY ALL PARTIES INTERESTED IN MAKING SAID SURVEY THAT THE SAID **GOVERNMENT STONE** WAS IN ITS **ORIGINAL POSITION.**" THE SURVEY WAS COMPLETED ON MAY 13, 1910 AND ENTERED ON MAY 17, 1910.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 40 CHAINS 16 LINKS WEST ON THE TOWNSHIP LINE TO THE STONE HE FOUND AT THE NORTH 1/4 CORNER OF SECTION 1-18-9
 - 2) 60 CHAINS 25 LINKS WEST ON THE TOWNSHIP LINE TO THE STONE HE FOUND AT THE 1/8TH CORNER
 - 3) 80 CHAINS 40 LINKS WEST ON THE TOWNSHIP LINE TO THE 12" X 12" LIMESTONE WITH A "+" ON THE TOP HE FOUND AT THE NORTHWEST CORNER OF SECTION 1-19-10
 - 4) 78 CHAINS EAST ON THE TOWNSHIP LINE TO THE CENTER OF THE ROAD ON THE EAST SIDE OF SECTION 31-17-10, WHICH IS 40 LINKS MORE THAN CALLED FOR IN THE GOVERNMENT NOTES, BUT HE DID **NOT** FIND A STONE AT THIS CORNER
 - 5) A LINE FROM THE STONE THAT HE FOUND AT THE WEST 1/4 CORNER OF SECTION 18-18-10 OVER THE STONE THAT HE FOUND AT THE WEST 1/4 CORNER OF SECTION 7-18-10 FELL 40 LINKS EAST OF THE GOVERNMENT STONE IN DISPUTE
 - 6) A LINE FROM THE STONE THAT HE FOUND AT THE NORTHWEST CORNER OF SECTION 30-17-10 OVER THE STONE THAT HE FOUND AT THE NORTHWEST CORNER OF SECTION 31-17-10 FELL 40 LINKS EAST OF THE GOVERNMENT STONE IN DISPUTE
- 7) COMMISSIONER'S ROAD JOURNAL BOOK "B", PAGE 89
ON SEPTEMBER 15, 1952 A PETITION SIGNED BY LAURA H. STAHL AND OTHERS FOR THE **VACATION** OF A ROAD IN TOWNSHIPS 17-10 AND 18-10 WAS PRESENTED TO GEORGE K. JACKSON, COUNTY CLERK. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS OCTOBER 7, 1952 AND THE FINAL ORDER OF THE BOARD OF COUNTY COMMISSIONERS ON OCTOBER 7, 1952 **VACATED** THE FOLLOWING ROAD:
- 1) BEGINNING AT THE SOUTHWEST CORNER OF SECTION 31-17-10 AND THE NORTHWEST CORNER OF SECTION 6-18-10, THENCE EAST AND TERMINATING AT THE SOUTHEAST CORNER OF SECTION 31-17-10 AND THE NORTHEAST CORNER OF SECTION 6-18-10.
- 8) COMMISSIONER'S ROAD JOURNAL BOOK "B", PAGE 146
ON MARCH 31, 1964 A PETITION SIGNED BY R. I. PICKETT AND OTHERS FOR THE **VACATION** OF A ROAD IN TOWNSHIP 18-10 WAS PRESENTED TO W. A. STOLFUS, COUNTY CLERK. THE ROAD WAS VIEWED BY THE COUNTY COMMISSIONERS AND W. D. KRETSINGER, COUNTY ENGINEER, ON APRIL 22, 1964 RECOMMENDING THAT THE FOLLOWING ROAD BE **VACATED**:
- 1) BEGINNING AT THE NORTHEAST CORNER OF SECTION 9-18-10, THENCE WEST TO THE COUNTY LINE A DISTANCE OF ONE MILE AND THERE ENDING.
 - 2) **NOTE:** TO END THIS ROAD VACATION AT ONE MILE EAST OF THE COUNTY LINE, THIS ROAD VACATION NEEDS TO BEGIN AT THE NORTHEAST CORNER OF SECTION 6-18-10 – WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR

CONTINUED ON PAGE 4

- 9) STEVEN S. BROSEMER, L.S. 752, IN A LAND SURVEY REFERENCE REPORT DATED SEPTEMBER 20, 1983, SAID THAT HE EXCAVATED WITH A COUNTY MAINTAINER FOR THE STONE FOUND BY YINGLING IN 1910 [PERMANENT SURVEY BOOK 1 ON PAGE 61] AT THE SOUTHWEST CORNER OF SECTION 31-17-10 ON THE RANGE LINE AND THE LYON, MORRIS AND CHASE COUNTY LINE, BUT HE DID **NOT** FIND THE STONE. HE CONCLUDED THAT THIS CORNER WAS **LOST**. **HE SET A #5 X 24" REBAR WITH A LYON COUNTY CAP** FOR THE SOUTHWEST CORNER OF SECTION 31-17-10 ON THE RANGE LINE AND COUNTY LINE IN LINE WITH THE FENCES TO THE EAST AND WEST, AND 0.40 CHAINS EAST OF THE LINE FROM THE STONE AT THE NORTHWEST CORNER OF SECTION 30-17-10 OVER THE STONE AT THE SOUTHWEST CORNER OF SECTION 30-17-10, AS PER CALLS OF THE PERMANENT SURVEY BY J. HARRISON PARKMAN IN 1910.
- 1) IN LINE WITH WIRE FENCES TO THE EAST & WEST [EXTENDED]
 - 2) 22.0' EAST TO A LINE OF WIRE FENCE TO THE NORTH-SOUTH
 - 3) 29.8' WEST TO A LINE OF WIRE FENCE TO THE NORTH-SOUTH
 - 4) 2.0' WEST TO THE TRAVELED WAY OF THE ROAD NORTH-SOUTH
- HIS DRAWING ON THE REFERENCE REPORT SHOWS THE FOLLOWING:**
- 1) 2,647.57' NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE #5 CAPPED REBAR HE SET FOR THE WEST 1/4 CORNER OF SECTION 31-17-10
 - 2) 5,295.14' NORTH ON THE RANGE LINE AND THE COUNTY LINE TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 30-17-10

NORTHWEST CORNER 06-18-10