

**NORTHWEST CORNER SECTION 07, TOWNSHIP 18 SOUTH, RANGE 10 EAST**

- 1) ON PAGE 34 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 41" X 12" X 4"** FOR THE CORNER TO SECTIONS 6 & 7-18-10 ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE.

THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 40.00 CHAINS NORTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 36" X 12" X 4" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 6-18-10
  - 2) 49.76 CHAINS NORTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 28" X 13" X 4" LIMESTONE THEY SET ON THE SOUTH BOUNDARY OF THE KANSAS INDIAN RESERVATION
  - 3) 80.00 CHAINS NORTH ON THE WEST TOWNSHIP BOUNDARY AND COUNTY LINE TO THE 24" X 12" X 4" LIMESTONE THEY SET FOR THE CORNER TO TOWNSHIPS 17 & 18 SOUTH, RANGES 9 & 10 EAST
  - 4) 40.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 24" X 6" X 6" LIMESTONE THEY SET FOR THE WEST 1/4 CORNER OF SECTION 7-18-10
  - 5) 80.00 CHAINS SOUTH ON THE WEST TOWNSHIP BOUNDARY AND THE COUNTY LINE TO THE 30" X 13" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 7 & 18-18-10
  - 6) 39.95 CHAINS EAST TO THE 17" X 15" X 3" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 6 & 7-18-10
  - 7) 79.95 CHAINS EAST TO THE 30" X 15" X 2" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 5, 6, 7 & 8-18-10
- 2) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY FOR ROAD NUMBER 135 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 126 TO 128 PETITIONED BY SAMUEL W. McCAW AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 18-10 [PACKET 382 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON SEPTEMBER 13, 1881, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD ON OCTOBER 8, 1881 AS NOTED BY J. M. GRIFFITH, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND WAS RECORDED ON OCTOBER 14, 1881 BY WILLIAM F. EWING, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 6-18-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS EAST ON THE SECTION LINES TO THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 2-18-10; THEN ANGLES SOUTHEASTERLY TO THE SOUTHWEST CORNER OF LOT 6, BLOCK 3 IN THE CITY OF AMERICUS; THEN CONTINUES EAST TO THE SOUTHEAST CORNER OF SAID LOT 6 TO COMMENCE THIS ROAD SURVEY
- 3) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "C" ON THE RIGHT PAGE 227 DATED SEPTEMBER 13, 1881, FOR A ROAD SURVEY IN TOWNSHIP 18-10, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 6-18-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS EAST ON THE SECTION LINES TO THE SOUTHEAST CORNER OF THE SW1/4 OF SECTION 2-18-10; THEN ANGLES SOUTHEASTERLY TO THE SOUTHWEST CORNER OF LOT 6, BLOCK 3 IN THE CITY OF AMERICUS; THEN CONTINUES EAST TO THE SOUTHEAST CORNER OF SAID LOT 6 TO COMMENCE THIS ROAD SURVEY

CONTINUED ON PAGE 2

- 4) CHARLES S. NESBIT, CHASE COUNTY SURVEYOR, IN A ROAD SURVEY FOR ROAD NUMBER 281 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 74 TO 76 PETITIONED BY JOHN BOND AND OTHERS FOR A ROAD ON THE CHASE/LYON COUNTY LINE [PACKET 552 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON DECEMBER 18, 1884, WAS ESTABLISHED AS A 45 FOOT WIDE ROAD ON JANUARY 9, 1885 AS NOTED BY P. Y. HALLBERG, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MARCH 17, 1885 BY ROLAND LAKIN, COUNTY CLERK, APPARENTLY **FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 12-18-19 ON THE RANGE LINE AND THE CHASE AND LYON COUNTY LINE ON THIS ROAD SURVEY ON THE COUNTY LINE.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS NORTH ON THE COUNTY LINE FOR 1 MILE TO THE STONE HE FOUND AT THE CORNER OF TOWNSHIPS 17 & 18 OF RANGES 9 & 10 TO BEGIN THIS ROAD SURVEY
  - 2) THIS ROAD EXTENDS SOUTH ON THE COUNTY LINE FOR 4 MILES TO THE STONE HE FOUND AT THE CORNER TO SECTIONS 25 & 36 AND 30 & 31 AT THE TERMINUS OF THIS ROAD SURVEY
- 5) MATTHEW BROWN, COUNTY SURVEYOR FROM 1888 TO 1900, AND 1914, IN A **PERMANENT SURVEY** RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 19 BY NOTICE FROM JAMES HUMPHREY AND ANNA A. HERBERT REQUESTING A SURVEY TO PERMANENTLY ESTABLISH THE LINES AND CORNERS NECESSARY TO MAKE A COMPLETE SURVEY OF THE LINE BETWEEN SECTIONS 4 & 5-18-10, AND ESTABLISH THE NORTHWEST CORNER, THE CORNER AT THE INTERSECTION OF THE LINE OF THE SOUTH BOUNDARY OF THE KANSAS INDIAN RESERVATION LINE, THE 1/4 CORNER BETWEEN SAID SECTIONS, THE CORNER AT THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 AND THE SOUTHWEST CORNER OF SECTION 4-18-10, SAID THAT HE FOUND A POINT RECOGNIZED BY THE FENCE ALONG THE ROAD AS BEING THE RANGE LINE AT 194 CHAINS WEST OF THE STONE THAT HE FOUND IN PLACE AT THE SOUTH 1/4 CORNER OF SECTION 4-18-10, BUT HE DID **NOT** FIND THE STONE AT THE NORTHWEST CORNER OF SECTION 7-18-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE ON THIS **PERMANENT SURVEY**.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) 34.07 CHAINS EAST TO THE STONE HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 6-18-10
  - 2) 74.16 CHAINS EAST TO THE LOCATION FOR THE SOUTHEAST CORNER OF SECTION 6-18-10 BY THE AFFIDAVIT OF MR. HARVEY
  - 3) 134.08 CHAINS EAST TO THE STONE HE FOUND AT THE SOUTH 1/8<sup>TH</sup> OF THE SE1/4 OF SECTION 5-18-10
  - 4) 154.05-2/3 CHAINS EAST TO THE 21" X 13" X 5" STONE PROPERLY NOTCHED AND SET DEEP IN THE GROUND HE SET FOR THE PERMANENT SOUTHWEST CORNER OF SECTION 4-18-10
  - 5) 174.02 CHAINS EAST TO THE STONE HE FOUND IN THE GROUND AT THE SOUTH 1/8<sup>TH</sup> CORNER OF THE SW1/4 OF SECTION 4-18-10
  - 6) 194.00 CHAINS EAST TO THE STONE HE FOUND IN THE GROUND AT THE SOUTH 1/4 CORNER OF SECTION 4-18-10
- 6) J. HARRISON PARKMAN, COUNTY SURVEYOR FROM 1907 TO 1915, BY J. MAX YINGLING, DEPUTY COUNTY SURVEYOR, IN A **PERMANENT SURVEY** RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 61 IN A NOTICE FROM ARTHUR SMITH, MORRIS COUNTY SURVEYOR, FOR A SURVEY TO ESTABLISH THE SOUTHEAST CORNER OF SECTION 36-17-9, IT HAVING BEEN CLAIMED THAT THE GOVERNMENT STONE HAD BEEN MOVED WEST OF ITS ORIGINAL POSITION SAID THAT HE MET WITH THE MORRIS AND CHASE COUNTY SURVEYORS ON APRIL 26, 1910 TO BEGIN THIS SURVEY ON THE LYON, MORRIS AND CHASE COUNTY LINE. THEY

APPARENTLY DID **NOT** FIND THE STONE AT THE NORTHWEST CORNER OF SECTION 7-18-10 ON THE RANGE LINE AND THE COUNTY LINE ON THIS PERMANENT SURVEY. THE SURVEY WAS COMPLETED ON MAY 15, 1910 AND WAS ENTERED ON MAY 17, 1910.

- 7) FINNEY & TURNIPSEED PLANS FOR PROJECT 56 RS-1477 (2) SHOWS A 1/2" REBAR AT THE **"INTERSECTION"** AT THE NORTHWEST CORNER OF SECTION 7-18-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE. **VERIFY AND CHECK FOR THE STONE OF RECORD BEFORE USING AS THIS REBAR MAY HAVE BEEN "HEELED-IN" FOR THIS PROJECT! WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR**
- 1) AT P. I. STATION 7 + 92.15
  - 2) 34.75' NE TO THE SOUTHWEST CORNER OF A STONE FENCE POST AT ITS BASE
  - 3) 34.10' SE TO A SPIKE IN THE TOP OF A CORNER FENCE POST
  - 4) 24.00' WEST TO THE TOP OF A STEEL FENCE POST

NORTHWEST CORNER 07-18-10