

NORTH 1/4 CORNER SECTION 15, TOWNSHIP 19 SOUTH, RANGE 11 EAST

- 1) ON PAGE 368 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 20" X 12" X 3"** FOR THE 1/4 CORNER BETWEEN SECTIONS 10 & 15-19-11 ON MARCH 24, 1857. THE GOVERNMENT SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) 39.94-1/2 CHAINS WEST TO THE 24" X 8" X 7" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 9, 10, 15 & 16-19-11
 - 2) 39.94-1/2 CHAINS EAST TO THE 24" X 14" X 3" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 10, 11, 14 & 15-19-11

- 2) G. W. WALKER, BRECKENRIDGE COUNTY SURVEYOR, IN A ROAD SURVEY RECORDED IN ROAD RECORD BOOK "A" ON PAGES 13 THROUGH 15 FOR THE "EMPORIA AND AMERICUS ROAD" SURVEYED DECEMBER 1 & 2, 1858, AND RECORDED IN THE COMMISSIONER'S JOURNAL ON PAGE 34 ON DECEMBER 6, 1858, SAID THAT **HE FOUND THE SOUTH STONE 1/4 POST** OF SECTION 10-19-11 AT THE CROSSING OF COMMERCIAL STREET AND SIXTH AVENUE IN EMPORIA TO START THIS ROAD SURVEY. NO WIDTH IS RECORDED AND BY THE TERRITORIAL LAW IN EFFECT AT THE TIME THE ROAD WOULD BE FORTY FEET WIDE. HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD EXTENDS NORTHWESTERLY BY STREETS TO THE STONE POST AT THE WEST 1/4 POST OF SECTION 10-19-11. BEING THE NORTHWEST CORNER OF EMPORIA, AT A TURN TO THE NORTHWESTERLY TO THE NORTH 1/4 STONE POST OF SECTION 9-19-11

- 3) IN ROAD RECORD BOOK "A" ON PAGES 190 TO 192, [PACKET 178 IN THE VAULT IN THE COUNTY ENGINEERS OFFICE] THE BOARD OF COUNTY COMMISSIONERS MET ON JULY 17, 1871 AND APPOINTED COMMISSIONERS H. V. BENNETT CHAIRMAN AND FLAGMAN, SAMUEL BROOKOVER AS SECRETARY AND MARKER, AND MILTON CHAMNESS AS CHAINMAN, AND EMPLOYED W. B. GODFREY AS SURVEYOR FOR THE STATE ROAD FROM EMPORIA IN LYON COUNTY TO EUREKA IN GREENWOOD COUNTY THAT WAS COMPLETED ON JULY 20, 1871. DANIEL S. GILMORE, COUNTY CLERK, NOTED THAT THE REPORT WAS ACCEPTED AND PLACED IN THE FILE, AND THE ROAD WAS ORDERED OPENED AT 64 FEET WIDE, AND RECORDED, ACCORDING TO THE PLAT AND SURVEY BY THE BOARD OF COUNTY COMMISSIONERS ON NOVEMBER 10, 1871. THEY COMMENCED THIS ROAD SURVEY AT THE SOUTHERN TERMINUS OF COMMERCIAL STREET IN THE CITY OF EMPORIA [SOUTH 1/4 CORNER OF SECTION 10-19-11 ACCORDING TO THE SURVEY PLAT]. THE SURVEY DRAWING/NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS STATE ROAD EXTENDS SOUTH ON THE 1/2 SECTION LINE FOR 2 MILES TO THE NORTH 1/4 CORNER OF SECTION 27-19-11 AT A TURN TO THE WEST

- 4) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN AN AGREEMENT SURVEY RECORDED IN SURVEY BOOK "D" ON PAGE 70 DATED APRIL 11, 1882 TO ESTABLISH THE CORNERS TO LOTS 84 AND 86 ON MERCHANT STREET IN THE CITY OF EMPORIA AN SUBDIVIDE THE SAME INTO 4 PARTS, SAID THAT **HE FOUND AN IRON PIN** IN THE CENTER OF COMMERCIAL STREET AND SIXTH AVENUE ON THIS AGREEMENT SURVEY.

- 5) AI CHAMNESS, DEPUTY COUNTY SURVEYOR FROM 1906 TO 1946, IN A SURVEY RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 103 TO SURVEY LOT 91 AND THE SOUTH 38-10/12 FEET OF LOT 93 ON STATE STREET, SAID THAT **HE FOUND THE SOUTH 1/4 CORNER** OF SECTION 10-19-11 ON THIS **PERMANENT SURVEY**. HE BEGAN THE SURVEY ON JANUARY 30, 1935 AND IT WAS COMPLETED MARCH 4,

1935. HE DOES NOT DESCRIBE THE MONUMENT THAT HE FOUND AND THERE ARE NO TIES ON THE SURVEY.

- 6) AI CHAMNESS, DEPUTY COUNTY SURVEYOR FROM 1906 TO 1946, IN A SURVEY RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 111 TO SURVEY AND PERMANENTLY LOCATE THE CORNERS AND BOUNDARIES OF LOTS 29 TO 55 INCLUSIVE ON COMMERCIAL STREET IN THE CITY OF EMPORIA AT THE REQUEST OF L. E. WOODWARD, SAID THAT HE BEGAN THIS SURVEY AT AN **IRON PIN IN THE INTERSECTION OF COMMERCIAL STREET AND SIXTH AVENUE**, WHICH MARKS THE **NORTH 1/4 CORNER OF SECTION 15-19-11** ON THIS **PERMANENT SURVEY**. THE SURVEY BEGAN MAY 5, 1937. HIS FIELD NOTES ARE IN BOOK "R" ON PAGE 121 IN THE KRETSINGER COLLECTION OF FILED BOOKS. THERE ARE NO TIES ON THE SURVEY.

HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 1,780.06' SOUTH TO THE IRON PIN IN A WELL HE FOUND AT THE INTERSECTION OF COMMERCIAL STREET AND SECOND AVENUE
- 2) 2,210.06' SOUTH TO THE IRON PIN IN A WELL HE FOUND AT THE INTERSECTION OF COMMERCIAL STREET AND FIRST AVENUE

- 7) AI CHAMNESS, DEPUTY COUNTY SURVEYOR FROM 1906 TO 1946, IN A **PERMANENT SURVEY** RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 117 AT THE REQUEST OF THE BOARD OF EDUCATION OF EMPORIA TO PERMANENTLY ESTABLISH THE CORNERS TO LOT 96 AND THE SOUTH 1/2 OF LOT 98 ON CONSTITUTION STREET IN THE CITY OF EMPORIA, SAID THAT **HE FOUND AN IRON PIN** MARKING THE SOUTH 1/4 CORNER OF SECTION 10-19-11 IN THE INTERSECTION OF SIXTH AVENUE AND COMMERCIAL STREET ON THIS **PERMANENT SURVEY**. THE SURVEY WAS MADE ON JUNE 11 & 12, 1940, THE REPORT WAS FILED ON JUNE 14, 1940 AND THE SURVEY WAS RECORDED JULY 14, 1940. HIS FIELD NOTES ARE IN FIELD BOOK "S" ON PAGE 28 IN THE KRETSINGER COLLECTION OF FIELD BOOKS. THERE ARE NO TIES ON THE SURVEY.

- 8) E. C. GOLDSMITH, COUNTY ENGINEER FROM 1944 TO 1949, BY W. D. KRETSINGER, L.S. 363, IN AN **INFORMAL SURVEY** RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 154 TO LOCATE THE SOUTH LINE OF LOT 105 ON STATE STREET IN THE CITY OF EMPORIA, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND AN IRON PIN** AT THE SOUTH 1/4 CORNER OF SECTION 10-19-11 IN THE INTERSECTION OF SIXTH AVENUE AND WEST STREET ON THIS **INFORMAL SURVEY**. THERE IS NO DATE ON THE SURVEY AND THERE ARE NO TIES ON THE SURVEY.

- 9) LESLIE M. GOULD, L.S. 142, COUNTY SURVEYOR FROM 1953 TO 1978, IN A SURVEY RECORDED IN PERMANENT SURVEY BOOK 2 ON PAGE 33 DATED AUGUST 25, 1959 TO ESTABLISH THE BOUNDARIES OF LOTS 82, 84 & 86 ON MERCHANT STREET, SHOWS ON HIS SURVEY DRAWING A **1" IRON PIN** AT THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SECTION 15-19-11 AT THE INTERSECTION OF SIXTH AVENUE AND COMMERCIAL STREET ON THIS **PERMANENT SURVEY**. THERE ARE NO TIES ON THE SURVEY.

- 10) THE KRETSINGER REFERENCE TIE BOOK FOR TOWNSHIP 19-11 SHOWS AN **IRON PIN** AT THE "N1/4 CORNER 15-19-11". CHISELED "+" CUTS IN THE SIDEWALKS AT:
- 1) 49.82' NORTHWEST
 - 2) 48.93' NORTHEAST
 - 3) 49.65' SOUTHEAST
 - 4) 49.55' SOUTHWEST

CONTINUED ON PAGE 3

- 11) KRETSINGER REFERENCE TIE BOOK NUMBER 13 ON PAGES 3 & 4 SHOWS A **CORNERSTONE AT THE INTERSECTION OF 6TH AND COMMERCIAL STREETS** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 ON OCTOBER 19, 1930.
- 1) 49.42' NW TO A CHISELED CROSS IN THE SIDEWALK
 - 2) 48.93' NE TO A CHISELED CROSS IN THE SIDEWALK
 - 3) 49.65' SE TO A CHISELED CROSS IN THE SIDEWALK ABOUT 6" FROM THE CURB
 - 4) 49.55' SE TO A CHISELED CROSS IN THE SIDEWALK
- 12) STEVEN S. BROSEMER, L.S. 752, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED FEBRUARY 26, 2002, FOR PROJECT NUMBER 00473-02, SAID THAT **HE FOUND A 3/4" IRON PIN IN A WELL BOX** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 BY EXCAVATION, POSSIBLY FROM 1930 IN SURVEY RECORDED IN SURVEY BOOK "C" ON PAGE 74.
- 1) 51.67' @ N. 40°-54'-55" W. TO A "+" CUT ON THE CURB
 - 2) 52.83' @ S. 40°-52'-59" W. TO A "+" CUT ON THE CURB
 - 3) 60.41' @ S. 35°10'-28" W. TO THE CENTERLINE OF THE TOP BOLT ON A FIRE HYDRANT
 - 4) 62.88' @ S. 39°18'-50" E. TO A "+" CUT ON THE CURB
 - 5) 52.34' @ N. 39°-26'-52" E TO A "=" CUT ON THE CURB
 - 6) 2,210.46' @ S .00°00'00" W. TO A 3/4" IRON PIN IN A MONUMENT BOX AT THE CENTERLINE OF 1ST STREET AND COMMERCIAL STREET
 - 7) 2,642.47' @ S.00°00'00" W. TO A 5/8" BOLT AT SOUTH AVENUE & COMMERCIAL STREET – THE CENTER CORNER OF SECTION 15-19-11
- HIS DRAWING ON HIS REFERENCE REPORT SHOWS THE FOLLOWING:
- 1) 5,287.26' SOUTH TO THE SOUTH 1/4 CORNER OF SECTION 15-19-11 AT THE INTERSECTION OF LOGAN AVENUE AND COMMERCIAL STREET
- 13) KENNETH J. TURNER, L.S. 297, OF BUCHER, WILLIS & RATLIFF CORPORATION IN A SECTION CORNER REPORT DATED MARCH 04, 2002, FOR JOB NUMBER 2001417.01, THE KDOT INTERSECTION IMPROVEMENT SURVEY FOR SOUTH AVENUE AND COMMERCIAL STREET, SURVEY F15113 IN THE SURVEY FILE FOR SECTIONS 15 & 16 IN TOWNSHIP 19-11, SAID THAT **HE FOUND THE 3/4" IRON PIN IN A MONUMENT WELL BOX** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 FOUND PER STEVE BROSEMER, LICENSE 752 REFERENCES. HE ALSO VERIFIED STEVE'S MEASURED DISTANCE TO THE CENTER SECTION CORNER. **METRIC TIES:**
- 1) CITY OF EMPORIA SURVEY DATUM:
NORTH = 595457.408 EAST = 602605.760
 - 2) 15.761 METERS N. 42°-45'-24" W. TO "+" ON THE TOP OF THE BACK OF THE CURB
 - 3) 15.986 METERS N. 38°-12'-07" E. TO "+" ON THE TOP OF THE BACK OF THE CURB
 - 4) 19.144 METERS S. 40°-34'-14" E. TO "+" ON THE TOP OF THE BACK OF THE CURB
 - 5) 16.115 METERS S. 39°-38"-42" W. TO "+" ON THE TOP OF THE BACK OF THE CURB
- HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:
- 1) 805.427 METERS SOUTH TO THE BOLT HE FOUND AT THE CENTER CORNER OF SECTION 15-19-11
 - 2) 1,611.561 METERS SOUTH TO THE 3/4" IRON BAR IN A MONUMENT BOX HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 15-19-11
- 14) POLLY A. JONES, L.S. 1130, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED SEPTEMBER 24, 2002, FOR PROJECT NUMBER 02040-02, SAID THAT **SHE FOUND THE 3/4" IRON PIN IN A MONUMENT WELL BOX** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 PER REFERENCE TIES BY S. BROSEMER DATED FEBRUARY 2002. SHE RE-REFERENCED THE CORNER AS THE PREVIOUS TIES WERE DESTROYED BY STREETScape CONSTRUCTION IN THE DOWNTOWN AREA DURING 2002.

HER TIES ARE ON PAGE 4

- 1) 65.48' NW TO THE SOUTHEAST CORNER OF A CONCRETE CURB INLET AT THE BACK OF THE CURB
 - 2) 64.91' NE TO THE TOP CENTER BOLT ON A FIRE HYDRANT
 - 3) 70.02' SE TO THE NORTHWEST CORNER OF A PLANTER WALL AT THE NORTH LINE OF THE PLANTER
 - 4) 73.95' SW TO THE SOUTHEAST CORNER OF A PLANTER WALL AT THE EAST LINE OF THE PLANTER
 - 5) 70.11' SW TO THE NORTHEAST CORNER OF THE BANK OF AMERICA BUILDING AT SIDEWALK ELEVATION
 - 6) 70.26' SE TO THE NORTHWEST CORNER OF "THE FARM" BUILDING AT SIDEWALK ELEVATION
- 15) AARON C. DAVIS, L.S. 1368, IN A LAND SURVEY REFERENCE REPORT DATED APRIL 4, 2003, FOR PROJECT 03105-02, SAID THAT **HE FOUND THE 3/4" IRON PIN IN A MONUMENT WELL BOX** AT THE SOUTH 1/4 CORNER OF SECTION 10-19-11 FROM EXISTING TIES OF RECORD IN THE COUNTY ENGINEER'S OFFICE.
- 1) 65.48' NW TO THE SOUTHEAST CORNER OF A CONCRETE CURB INLET AT THE BACK OF THE CURB
 - 2) 64.91' NE TO THE TOP CENTER BOLT ON A FIRE HYDRANT
 - 3) 70.02' SE TO THE NORTHWEST CORNER OF A PLANTER WALL AT THE NORTH LINE OF THE PLANTER
 - 4) 73.95' SW TO THE SOUTHEAST CORNER OF A PLANTER WALL AT THE EAST LINE OF THE PLANTER
 - 5) 70.11' SW TO THE NORTHEAST CORNER OF THE BANK OF AMERICA BUILDING AT SIDEWALK ELEVATION
 - 6) 70.26' SE TO THE NORTHWEST CORNER OF "THE FARM" BUILDING AT SIDEWALK ELEVATION
 - 7) 20.29' NE TO THE SOUTHWEST CORNER OF THE CAPITOL FEDERAL BANK BUILDING AT SIDEWALK ELEVATION
- 16) AARON C. DAVIS, L.S. 1368, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED JULY 25, 2008 FOR A SURVEY OF LOTS 226 & 228 ON COMMERCIAL STREET IN THE ORIGINAL TOWNSITE OF EMPORIA, SAID THAT **HE FOUND THE 3/4" IRON PIN IN A MONUMENT WELL BOX** AT THE SOUTH 1/4 CORNER OF SECTION 10-19-11 FROM HIS EXISTING REFERENCES ON FILE IN THE COUNTY ENGINEER'S OFFICE.
- 1) 65.48' NW TO THE SOUTHEAST CORNER OF A CONCRETE CURB INLET AT THE BACK OF THE CURB
 - 2) 64.91' NE TO THE TOP CENTER BOLT ON A FIRE HYDRANT
 - 3) 70.02' SE TO THE NORTHWEST CORNER OF A PLANTER WALL AT THE NORTH LINE OF THE PLANTER
 - 4) 73.95' SW TO THE SOUTHEAST CORNER OF A PLANTER WALL AT THE EAST LINE OF THE PLANTER
 - 5) 70.11' SW TO THE NORTHEAST CORNER OF THE BANK OF AMERICA BUILDING AT SIDEWALK ELEVATION
 - 6) 70.26' SE TO THE NORTHWEST CORNER OF "THE FARM" BUILDING AT SIDEWALK ELEVATION
 - 7) 20.29' NE TO THE SOUTHWEST CORNER OF THE CAPITOL FEDERAL BANK BUILDING AT SIDEWALK ELEVATION
- 17) AARON C. DAVIS, L.S. 1368, DEPUTY COUNTY SURVEYOR, IN A *NOTICE OF ENDANGERMENT ACTIVITY* LAND SURVEY REFERENCE REPORT DATED SEPTEMBER 15, 2010 FOR PROJECT NUMBER 10259-02, SAID THAT **HE FOUND THE 3/4" IRON PIN IN THE MONUMENT WELL** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 FROM HIS EXISTING REFERENCES ON FILE IN THE COUNTY ENGINEER'S OFFICE. HE SENT THE FOLLOWING **HORIZONTAL TIES:**

- 1) 69.63' NE TO A PLUS [+] CUT IN TO THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR THE PLANTER ISLAND
 - 2) 69.91' NW TO A PLUS [+] CUT IN THE TOP OF THE SOUTHEAST CORNER OF THE RETAINING CURB FOR THE PLANTER ISLAND
 - 3) 70.49' SW TO A PLUS [+] CUT IN THE TOP OF THE NORTHEAST CORNER OF THE RETAINING CURB FOR THE PLANTER ISLAND
 - 4) 70.41' SE TO A PLUS [+] CUT IN THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR THE PLANTER ISLAND
 - 5) 70.11' SW TO THE NORTHEAST CORNER OF THE "BANK OF AMERICA" BUILDING
 - 6) 70.29' NE TO THE SOUTHWEST CORNER OF THE "CAPITOL FEDERAL SAVINGS BANK" BUILDING
 - 7) IN THE CENTERLINE TRAVELED WAY FOR COMMERCIAL STREET NORTH-SOUTH
- 18) AARON C. DAVIS, L.S. 1368, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED JULY 16, 2014 FOR PROJECT NUMBER 14158-02, A SURVEY OF LOT 23 ON MECHANIC STREET IN THE ORIGINAL TOWNSITE OF EMPORIA FOR THE EMPORIA AREA HABITAT FOR HUMANITY, SAID THAT **HE FOUND THE 3/4" IRON PIN IN A MONUMENT WELL** AT THE NORTH 1/4 CORNER OF SECTION 15-19-11 IN THE INTERSECTION OF 6TH AVENUE AND COMMERCIAL STREET FROM HIS EXISTING REFERENCE TIES ON FILE AT THE LYON COUNTY ENGINEERS OFFICE IN 2010. HE SENT THE FOLLOWING **HORIZONTAL TIES:**
- 1) 69.63' NE TO A PLUS CUT IN THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 2) 69.91' NW TO A PLUS CUT IN THE TOP OF THE SOUTHEAST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 3) 70.49' SW TO A PLUS CUT IN THE TOP OF THE NORTHEAST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 4) 70.41' SE TO A PLUS CUT IN THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 5) 70.11' SW TO THE NORTHEAST CORNER OF THE "BANK OF AMERICA" BUILDING
 - 6) 70.29' NE TO THE SOUTHWEST CORNER OF THE "CAPITOL FEDERAL SAVINGS BANK" BUILDING
 - 7) IN THE CENTERLINE OF THE TRAVELED WAY FOR COMMERCIAL STREET TO THE NORTH AND SOUTH
- HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:**
- 1) 2,210.35' SOUTH TO THE 3/4" IRON PIN IN A WELL HE FOUND AT THE CENTERLINE OF 1ST STREET AND COMMERCIAL STREET
- 19) STEVEN S. BROSEMER, P.S. 752, DEPUTY COUNTY SURVEYOR, IN LAND SURVEY REFERENCE REPORT DATED APRIL 22, 2015 FOR PROJECT NUMBER 15072-02, THE SURVEY OF LOTS 87 AND 89 ON MECHANIC STREET, EXCEPT THE EAST 68 FEET THEREOF, ALL IN THE ORIGINAL TOWNSITE OF EMPORIA FOR PAUL CHALLENGER, FILED IN THE "CITY OF EMPORIA ORIGINAL TOWNSITE MECHANIC STREET" FOLDER IN THE COUNTY ENGINEERS OFFICE, SAID THAT **HE FOUND THE EXISTING RECORD 3/4" IRON PIN IN A MONUMENT WELL** AT THE SOUTH 1/4 CORNER OF SECTION 10-19-11 FROM EXISTING REFERENCE TIES ON FILE AT THE LYON COUNTY ENGINEERS OFFICE. HE NOTED THAT AARON C. DAVIS, P.S. 1368, HAD PREVIOUSLY FOUND THIS IRON BAR IN 2014.
- 1) 69.63' NE TO A PLUS CUT IN THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 2) 69.91' NW TO A PLUS CUT IN THE TOP OF THE SOUTHEAST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
 - 3) 70.49' SW TO A PLUS CUT IN THE TOP OF THE NORTHEAST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND

HIS TIES ARE CONTINUED ON PAGE 6

- 4) 70.41' SE TO A PLUS CUT IN THE TOP OF THE SOUTHWEST CORNER OF THE RETAINING CURB FOR A PLANTER ISLAND
- 5) 70.11' SW TO THE NORTHEAST CORNER OF THE "BANK OF AMERICA" BUILDING
- 6) 70.29' NE TO THE SOUTHWEST CORNER OF THE "CAPITOL FEDERAL SAVINGS BANK" BUILDING
- 7) IN THE CENTERLINE OF THE TRAVELED WAY FOR COMMERCIAL STREET TO THE NORTH AND SOUTH

HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 2,644.74' EAST TO THE 5/8" REBAR HE FOUND AT THE SOUTHEAST CORNER OF THE SE1/4 OF SECTION 10-19-11

NORTH QUARTER CORNER SECTION 15-19-11