

**WEST 1/16<sup>TH</sup> CORNER NORTHEAST QUARTER OF SECTION 22, TOWNSHIP 19 SOUTH,  
RANGE 11 EAST**

- 1) G. M. WALKER, BRECKENRIDGE COUNTY SURVEYOR FROM 1857 TO 1860, IN SURVEY NUMBER 2 OF THE 2<sup>ND</sup> TERM BY **MUTUAL CONSENT**, BEING THAT PART OF MADISON COUNTY, SINCE JOINED TO BRECKINRIDGE COUNTY, VIZ. SECTION 22-19-11, OF LAND SOLD BY L. STOTLES TO S. G. BROWN, BEING PART OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22, RECORDED IN SURVEY BOOK "A" ON PAGE 23 & 24 DATED MARCH 18, 1858, SAID THAT **HE SET** THE SOUTHEAST CORNER OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11 ON THIS **MUTUAL CONSENT** SURVEY.  
**HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:**
  - 1) 20.36 CHAINS NORTH TO THE STONE POST HE FOUND AT THE NORTHEAST CORNER OF SECTION 22-19-11
  - 2) 20.36 CHAINS SOUTH TO THE STONE POST HE FOUND AT THE SOUTHEAST CORNER OF SECTION 22-19-11
  
- 2) H. S. SLEEPER, BRECKENRIDGE COUNTY SURVEYOR FROM 1859 TO 1862, IN SURVEY NUMBER 30 RECORDED IN SURVEY BOOK "A" ON PAGE 63 DATED MARCH 12, 1861 TO FIND THE CENTER OF SECTION 22-19-11, SAID THAT **HE SET A 3" THICK BY 10" WIDE LIME ROCK** FOR CORNER NUMBER 1, BEING THE SOUTHWEST CORNER OF J. STOTLER'S TRACT, ON THIS SURVEY.  
**HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:**
  - 1) 80 RODS, 15-5/12 LINKS NORTH TO THE STONE HE FOUND AT THE NORTH 1/4 CORNER OF SECTION 22-19-11
  - 2) 80 RODS, 6-5/12 LINKS SOUTH TO A STAKE HE SET FOR THE CENTER CORNER OF SECTION 22-19-11
  
- 3) H. S. SLEEPER, BRECKENRIDGE COUNTY SURVEYOR FROM 1859 TO 1862, IN SURVEY NUMBER 31 RECORDED IN SURVEY BOOK "A" ON PAGE 63 DATED MARCH 31, 1861 TO SUBDIVIDE THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11, SAID THAT **HE FOUND** THE SOUTHWEST CORNER OF THE NORTH 1/2 OF THE NORTHEAST 1/4 SECTION 22-19-11 ON THIS SURVEY. HE DOES NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THE CORNER.  
**HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:**
  - 1) 44 RODS, 15-5/12 LINKS NORTH TO A STAKE HE SET FOR A TRACT CORNER
  - 2) 60 RODS, 15-1/2 LINKS NORTH TO A STAKE HE SET FOR A TRACT CORNER
  - 3) 80 RODS, 15-5/12 LINKS NORTH TO THE NORTH 1/4 CORNER OF SECTION 22-19-11
  - 4) 37 RODS, 13 LINKS EAST TO A STAKE HE SET FOR THE SOUTHWEST CORNER OF A 10 ACRE TRACT
  - 5) 57 RODS, 13 LINKS EAST TO A STAKE HE SET FOR THE SOUTHWEST CORNER OF A 10 ACRE TRACT
  - 6) 77 RODS, 13 LINKS EAST TO A STAKE HE SET FOR THE SOUTHWEST CORNER OF A 10 ACRE TRACT
  - 7) 97 RODS, 13 LINKS EAST TO A STAKE HE SET FOR THE SOUTHWEST CORNER OF BROWN'S TRACT
  - 8) 159 RODS, 13 LINKS EAST TO THE STONE NE FOUND AT THE SOUTHEAST CORNER OF THE N1/2 OF THE NE1/4 OF SECTION 22-19-11
  
- 4) JAMES MEANS, COUNTY SURVEYOR FROM 1865 TO 1867, IN SURVEY NUMBER 4 IN THE 4<sup>TH</sup> TERM RECORDED ON PAGE 89 IN SURVEY BOOK "A" DATED MAY 26, 1866 FOR A 10 ACRE PIECE OF LAND SOLD BY McCLING TO W. T. SODEN IN THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11, SAID THAT **HE FOUND** THE SOUTHWEST CORNER OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11 TO COMMENCE THIS SURVEY. HE DOES NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER.

HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 37 RODS, 13 LINKS EAST TO A STAKE HE SET FOR THE SOUTHEAST CORNER OF THE 10 ACRE TRACT
- 2) 44 RODS, 15 LINKS NORTH TO A STAKE HE SET FOR THE NORTHWEST CORNER OF THE 10 ACRE TRACT
- 5) JAMES MEANS, COUNTY SURVEYOR FROM 1865 TO 1867, IN SURVEY NUMBER 5 IN THE 4<sup>TH</sup> TERM RECORDED ON PAGE 90 IN SURVEY BOOK "A" DATED MAY 25, 1866 FOR A 20 ACRE PIECE OF LAND SOLD BY SOLOMON G. BROWN TO W. T. SODEN IN THE NORTHEAST 1/4 OF SECTION 22-19-11, SAID THAT **HE FOUND** THE NORTHWEST CORNER OF THE SOUTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11 TO COMMENCE THIS SURVEY. HE DOES NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER.
- 6) D. T. McAULEY, COUNTY SURVEYOR FROM 1867 TO 1870, BY D. W. BOWMAN, DEPUTY, IN SURVEY NUMBER 50 RECORDED IN SURVEY BOOK "A" ON PAGES 147, 148 & 149 DATED MAY 14-16, 1868 FOR A SURVEY OF LAND OWNED BY LOGAN AND OTHERS, BEING SECTION 22-19-11, TO ESTABLISH THE CENTER CORNER, TO DIVIDE THE SOUTHWEST 1/4 EQUALLY BY A LINE RUNNING NORTH AND SOUTH, TO DIVIDE THE NORTHWEST 1/4 EQUALLY BY A LINE RUNNING NORTH AND SOUTH, AND TO ESTABLISH OTHER PROPERTY CORNERS AS DESCRIBED, SAID THAT **HE SET A STONE** FOR THE 1/2/4 CORNER ON THE WEST SIDE OF THE NORTHEAST 1/4 OF SECTION 22-19-11 AT EQUIDISTANT BETWEEN THE STONE THAT HE FOUND AT THE NORTH 1/4 CORNER AND THE STONE THAT HE SET FOR THE CENTER CORNER OF SECTION 22-19-11 ON THIS SURVEY.
- 7) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN SURVEY NUMBER 93, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 93 DATED DECEMBER 1, 1871 BY THE ORDER OF THE BOARD OF COUNTY COMMISSIONERS, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 22-19-11 ON THIS ROAD SURVEY FOR THE SODEN BRIDGE.
- 8) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN SURVEY NUMBER 145, A ROAD SURVEY RECORDED IN SURVEY BOOK "B" ON PAGE 144 AT THE REQUEST OF W. T. SODEN DATED DECEMBER 1, 1871, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE *SOUTHWEST* 1/4 OF SECTION 22-19-11 TO BEGIN THIS ROAD SURVEY. **[NOTE:** THIS ROAD SURVEY WAS FOR THE IRON BRIDGE OVER THE COTTONWOOD RIVER, MAKING THE LOCATION FOR THE STONE TO BE AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE *NORTHWEST* 1/4 OF SECTION 22 AS SHOWN ON HIS SURVEY DRAWING]
- 9) LESLIE M. GOULD, L.S 142, COUNTY SURVEYOR FROM 1953 TO 1978, IN A **PERMANENT SURVEY** RECORDED IN PERMANENT SURVEY BOOK 2 ON PAGE 34 DATED SEPTEMBER 3<sup>RD</sup> & 4<sup>TH</sup>, 1959, BY THE ORDER OF WILLIAM L. COCHINETT TO LOCATE AND PERMANENTLY ESTABLISH THE LINES AND CORNERS OF SIX TRACTS IN THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11, SHOWS ON HIS SURVEY DRAWING THAT THERE IS A **1/2" SQUARE IRON PIN** AT THE SOUTHWEST CORNER OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11 ON THIS **PERMANENT SURVEY**. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE BOOKS.

HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 1,323.80' NORTH TO A 3/4" DIAMETER PIN IN PAVEMENT AT THE NORTHWEST CORNER OF THE NE1/4 OF SECTION 22-19-11

CONTINUED ON PAGE 3

- 10) LESLIE M. GOULD, L.S. 142, COUNTY SURVEYOR FROM 1953 TO 1978, IN SURVEY SR #22007 IN THE LARGE SURVEY DRAWER FOR SECTIONS 17-36 IN TOWNSHIP 19-11 DATED SEPTEMBER 4, 1959, SHOWS A **1/2" SQUARE IRON PIN** AT THE SOUTHWEST CORNER OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF SECTION 22-19-11. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE BOOKS.

WEST SIXTEENTH CORNER NORTHEAST QUARTER SECTION 22-19-11