

**WEST 1/4 CORNER SECTION 03, TOWNSHIP 20 SOUTH, RANGE 10 EAST**

- 1) ON PAGE 235 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 29" X 17" X 4"** FOR THE 1/4 CORNER BETWEEN SECTIONS 3 & 4-20-10 ON JUNE 19, 1857.  
THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
  - 1) 39.96 CHAINS NORTH TO THE 20" X 10" X 4" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 3 & 4-20-10 ON THE TOWNSHIP LINE
  - 2) 40.00 CHAINS SOUTH TO THE 28" X 15" X 1-1/2" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 3, 4, 9 & 10-20-10
  
- 2) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN SURVEY NUMBER 82 OF THE 8<sup>TH</sup> TERM, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "C" ON PAGE 139 DATED AUGUST 15, 1875 TO ESTABLISH THE CORNERS TO THE EAST 1/2 OF THE SOUTHWEST 1/4 OF SECTION 3-20-10, SAID THAT **HE FOUND THE STONE** AT THE EAST 1/4 CORNER OF SECTION 3-20-10 ON THIS **PERMANENT SURVEY**.  
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
  - 1) 1,315-3/4' EAST TO THE 14" X 6" X 6" STONE HE SET FOR THE PERMANENT NORTH 1/2/4 CORNER OF THE SW1/4 OF SECTION 3-30-10
  - 2) 2,631-1/2' EAST TO THE 14" X 8" X 6" STONE HE SET FOR THE PERMANENT CENTER CORNER OF SECTION 3-20-10
  - 3) 5,267' EAST TO THE STONE HE FOUND AT THE EAST 1/4 CORNER OF SEC. 3-20-10
  - 4) 2,638' SOUTH TO THE 34" X 8" X 6" STONE HE SET FOR THE PERMANENT SOUTHWEST CORNER OF SECTION 3-20-10
  - 5) 5,276' SOUTH TO THE STONE HE FOUND AT THE WEST 1/4 CORNER OF SECTION 10-20-10
  
- 3) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN AN **INFORMAL SURVEY** RECORDED IN SURVEY BOOK "D" ON PAGE 158 DATED MAY 21, 1883 AT THE REQUEST OF McCORMICK TO ESTABLISH SECTION CORNERS IN SECTION 4-20-10, SAID THAT **HE FOUND THE STONE** AT THE EAST 1/4 CORNER OF SECTION 4-20-10 ON THIS **INFORMAL SURVEY**. HE USED THIS STONE TO FIND THE STONE AT THE **NORTHEAST CORNER** OF SECTION 4-20-10 ON THE TOWNSHIP LINE.
  
- 4) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 268 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 22 TO 24 PETITIONED BY J. Y. SCHOECK AND OTHERS FOR A COUNTY ROAD IN TOWNSHIPS 19-10 AND 20-10 [PACKET 517 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON JUNE 16, 1884, WAS ESTABLISHED AS A 50 FOOT WIDE ROAD ON JULY 12, 1884 AS NOTED BY JOHN L. BUTLER, CHAIRMAN PROTEM OF THE BOARD OF COUNTY COMMISSIONERS, AND ATTESTED BY ROLAND LAKIN, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF SECTION 3-20-10 AT THE TERMINUS OF THE ROAD ALLOWED BY THE VIEWERS ON THIS ROAD SURVEY.  
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
  - 1) THIS ROAD EXTENDS NORTH ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 27-19-10 TO BEGIN THIS ROAD SURVEY
  - 2) THE ROAD PETITIONED FROM THE SOUTHWEST CORNER OF THE NW1/4 OF SECTION 3-20-10 EXTENDING SOUTH ON THE SECTION LINES TO THE SOUTHWEST CORNER OF SECTION 10-20-10 WAS **REJECTED** BY THE VIEWERS
  
- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 118, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 118 FOR TWO ROADS IN TOWNSHIP 20-10 FOR BY H. C. WOOD, PRINCIPAL PETITIONER, DATED

SEPTEMBER 8, 1885, SAID THAT **HE FOUND THE STONE** AT THE WEST 1/4 CORNER OF SECTION 3-20-10 TO BEGIN THE SECOND ROAD ON THIS ROAD SURVEY. [**NOTE:** THE ROAD FROM THE WEST 1/4 OF SECTION 3-20-10 TO THE STONE THAT HE FOUND AT THE NORTHWEST CORNER OF SECTION 15-20-10 WAS **NOT ALLOWED** BY THE BOARD OF COUNTY COMMISSIONERS – SEE ROAD RECORD BOOK “C” ON PAGES 186 TO 188 – WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR]

- 6) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 109 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 186 TO 188 PETITIONED BY H. C. WOOD AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 20-10 [PACKET 536 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] FOR A ROAD BEGINNING AT THE 1/4 CORNER ON THE WEST SIDE OF SECTION 3-20-10, THENCE SOUTH TO THE SOUTHWEST CORNER OF SECTION 34, SAME TOWN AND RANGE. HE BEGAN THIS ROAD SURVEY ON SEPTEMBER 8, 1885 AND **HE FOUND THE STONE** AT THE WEST 1/4 CORNER OF SECTION 3-20-10, BUT THE FINAL ORDER OF THE BOARD OF COUNTY COMMISSIONERS ON OCTOBER 9, 1885 **REJECTED** THE ROAD FROM THE WEST 1/4 CORNER OF SECTION 3-20-10 SOUTH TO THE NORTHWEST CORNER OF SECTION 15-20-10 AS NOTED BY JOHN J. BUTLER, CHAIRMAN, AND RECORDED ON JANUARY 30, 1886 BY ROLAND LAKIN, COUNTY CLERK.
  
- 7) MATTHEW BROWN, COUNTY SURVEYOR FROM 1888 TO 1900, AND 1914, IN A ROAD SURVEY FOR ROAD NUMBER 406 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 554 TO 556 PETITIONED BY OSCAR DARR AND OTHERS FOR A ROAD IN TOWNSHIP 20-10 [PACKET 659 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON JUNE 14, 1884, WAS ORDERED ESTABLISHED AS A **40 FOOT ROAD** ON JULY 7, 1894 AS NOTED BY J. A. MILLER, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS AND ATTESTED BY C. W. WILHITE, COUNTY CLERK, AND RECORDED ON JUNE 26, 1895 BY MATTHEW BROWN, COUNTY SURVEYOR, APPARENTLY **FOUND THE STONE** AT THE WEST 1/4 CORNER OF SECTION 3-20-10 TO BEGIN THIS ROAD SURVEY.  
**HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:**
  - 1) THIS ROAD EXTENDS SOUTH ON THE SECTION LINES FOR 5-1/2 MILES TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 34-20-10 ON THE 4<sup>TH</sup> STANDARD PARALLEL AT THE TERMINUS OF THIS ROAD SURVEY, **TAKING 20 FEET ON EACH SIDE OF THE SECTION LINE**
  
- 8) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-9 FOR A 20.90 ACRE TRACT OWNED BY GEORGE L. DAVIS IN THE NORTH 1/2 OF SECTION 3-20-10 FOR THE TURNPIKE DEED DATED 4-18-55 AND RECORDED IN BOOK 242 ON PAGE 275 ON 5-13-55, SHOWS ON HIS SURVEY DRAWING THAT HE FOUND A “**MONUMENT**” AT THE SOUTHWEST CORNER OF THE NORTHEAST 1/4 OF SECTION 3-20-10. THERE IS NO DESCRIPTION OF THE MONUMENT AND THERE ARE NO TIES ON THE SURVEY OR IN THE TIE FILES.  
**HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:**
  - 1) 1,1,028.2’ EAST ON THE SOUTH LINE OF THE NW1/4 OF SECTION 3-20-10 TO THE POINT OF BEGINNING AT TURNPIKE CENTERLINE STATION 8839+16.60
  
- 9) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-8 FOR A 10.94 ACRE TRACT OWNED BY C. O. EDIE AND WIFE IN THE SOUTHWEST 1/4 OF SECTION 3-20-10 FOR CONDEMNATION CASE NUMBER 23548 FILED ON 5-16-55, SHOWS ON HIS SURVEY DRAWING THAT HE FOUND A

**“MONUMENT”** AT THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF SECTION 3-20-10. THERE IS NO DESCRIPTION OF THE MONUMENT AND THERE ARE NO TIES ON THE SURVEY OR IN THE TIE FILES.

HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:

- 1) 1,028.2' EAST ON THE NORTH LINE OF THE SW1/4 OF SECTION 3-20-10 TO TURNPIKE CENTERLINE STATION 8839+16.6

WEST QUARTER CORNER 03-20-10