

**NORTH 1/4 CORNER SECTION 09, TOWNSHIP 20 SOUTH, RANGE 10 EAST**

- 1) ON PAGE 239 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 19" X 17" X 2-1/2"** FOR THE 1/4 CORNER BETWEEN SECTIONS 4 & 9-20-10.  
THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
  - 1) 39.97 CHAINS WEST TO THE 28" X 13" X 4" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 4, 5, 8 & 9-20-10
  - 2) 39.97 CHAINS EAST TO THE 28" X 15" X 1-1/2" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 3, 4, 9 & 10-20-10
  
- 2) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN AN **INFORMAL SURVEY** RECORDED IN SURVEY BOOK "D" ON PAGE 158 DATED MAY 21, 1883 AT THE REQUEST OF McCORMICK TO ESTABLISH SECTION CORNERS IN SECTION 4-20-10, SAID THAT **HE SET A STONE** FOR THE SOUTH 1/4 CORNER OF SECTION 4-20-10 ON LINE AND AT THE "PROPER CORRECTION" BETWEEN THE STONE THAT HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 5-20-10 AND THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 4-20-10 ON THIS **INFORMAL SURVEY**.  
HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
  - 1) 39.94-1/2 CHAINS EAST TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 4-20-10
  - 2) 39.94-1/2 CHAINS WEST TO THE STONE HE SET FOR THE SOUTHWEST CORNER OF SECTION 4-20-10
  - 3) 79.86-1/2 CHAINS WEST TO THE STONE HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 5-20-10
  
- 3) MATTHEW BROWN, DEPUTY COUNTY SURVEYOR, FOR R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 125, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "E" ON PAGE 125 DATED OCTOBER 23 & 24, 1885 ORDERED BY H. C. WOOD TO SURVEY SECTIONS 9 & 10-20-10, SAID THAT **HE FOUND THE STONE** AT THE NORTH 1/4 CORNER OF SECTION 9-20-10 ON THIS **PERMANENT SURVEY**.  
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING DISTANCES:
  - 1) 1,318' EAST TO THE 4-1/2" X 6" X 24" LIMESTONE MARKED "1/8" HE SET FOR THE PERMANENT NORTH 1/8<sup>TH</sup> CORNER OF THE NE1/4 OF SECTION 9-20-10
  - 2) 2,435' [2,635'?] EAST TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 9-20-10
  - 3) 5,274.5' SOUTH TO THE STONE HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 9-20-10
  
- 4) THE KRETSINGER REFERENCE TIE BOOK FOR TOWNSHIP 20-10 SHOWS A **STONE** AT THE "S1/4 CORNER SECTION 4-20-10".
  - 1) 24.5' NW TO A REBAR
  - 2) 22.2' NE TO A REBAR
  
- 5) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED "TURNPIKE RIGHT-OF-WAY" IN THE DRAWER LABELED KANSAS TURNPIKE" IN THE RECORDS ROOM IN THE COUNTY ENGINEER'S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-6 FOR A 1.08 ACRE TRACT OWNED BY PAUL ALLEN AND WIFE, GRACE IN THE NORTHEAST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-18-55 AND RECORDED IN BOOK 244 ON PAGE 85 DATED 7-20-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND THE STONE** AT THE NORTH 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.  
HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:
  - 1) 1,322.0' EAST TO THE P.O.B. OF THE TRACT AT THE NORTHWEST CORNER OF THE NE1/4 OF THE NE1/4 OF SECTION 9-20-10

- 6) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-5-A FOR A 0.15 ACRE TRACT OWNED BY FRED G. TRIGGS IN THE SOUTHEAST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-18-55 AND RECORDED IN BOOK 244 ON PAGE 107 DATED 7-22-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND [THE STONE]** AT THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.
- 7) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-5 FOR AN 11.89 ACRE TRACT OWNED BY FRED G. TRIGGS IN THE SOUTHEAST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-18-55 AND RECORDED IN BOOK 244 ON PAGE 107 DATED 7-22-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND [THE STONE]** AT THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.  
HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:  
 1) 1,226.30’ SOUTH TO TURNPIKE CENTERLINE STATION 8785+66.80
- 8) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-4 FOR A 15.79 ACRE TRACT OWNED BY EVA TURNER SPELLMAN & GLENN E. SPELLMAN IN THE NORTHWEST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-21-55 AND RECORDED IN BOOK 242 ON PAGE 549 DATED 6-25-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND [THE STONE]** AT THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.  
HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:  
 1) 1,226.30’ SOUTH TO TURNPIKE CENTERLINE STATION 8785+66.8
- 9) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-4-A FOR A 1.38 ACRE TRACT OWNED BY EVA TURNER SPELLMAN & GLENN E. SPELLMAN IN THE NORTHWEST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-21-55 AND RECORDED IN BOOK 242 ON PAGE 549 DATED 6-25-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND [THE STONE]** AT THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.  
HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:  
 1) 1,226.30’ SOUTH TO TURNPIKE CENTERLINE STATION 8785+66.8
- 10) JAMES L. BELL, P.E. 1291, IN THE FOLDER LABELED “TURNPIKE RIGHT-OF-WAY” IN THE DRAWER LABELED KANSAS TURNPIKE” IN THE RECORDS ROOM IN THE COUNTY ENGINEER’S OFFICE FOR TOWNSHIP 20-10 FOR KANSAS TURNPIKE TRACT NUMBER 18-4-B FOR A 1.68 ACRE TRACT OWNED BY EVA TURNER SPELLMAN & GLENN E. SPELLMAN IN THE NORTHWEST 1/4 OF SECTION 9-20-10 FOR THE TURNPIKE DEED DATED 4-21-55 AND RECORDED IN BOOK 242 ON PAGE 549 DATED 6-25-55, SHOWS ON HIS SURVEY DRAWING THAT **HE FOUND [THE STONE]** AT THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SECTION 9-20-10. THERE ARE NO TIES ON THE SURVEY OR IN THE SURVEY TIE FILES.

HIS INFORMATION IS CONTINUED ON PAGE 3

HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:

1) 1,226.30' SOUTH TO TURNPIKE CENTERLINE STATION 8785+66.8

NORTH QUARTER CORNER 09-20-10