

NORTHWEST CORNER SECTION 09, TOWNSHIP 20 SOUTH, RANGE 10 EAST

- 1) ON PAGE 238 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 28" X 13" X 4"** FOR THE CORNER TO SECTIONS 4, 5, 8 & 9-20-10.
THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
 - 1) 40.00 CHAINS NORTH TO THE 24" X 13" X 4" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 4 & 5-20-10
 - 2) 80.10 CHAINS NORTH TO THE 20" X 12" X 5" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 4 & 5-20-10 ON THE TOWNSHIP LINE
 - 3) 39.97 CHAINS EAST TO THE 19" X 17" X 2-1/2" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 4 & 9-20-10
 - 4) 79.94 CHAINS EAST TO THE 28" X 15" X 1-1/2" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 3, 4, 9 & 10-20-10

- 2) C. H. RICE, DEPUTY COUNTY SURVEYOR, IN AN **INFORMAL SURVEY** RECORDED IN SURVEY BOOK "D" ON PAGE 158 DATED MAY 21, 1883 AT THE REQUEST OF McCORMICK TO ESTABLISH SECTION CORNERS IN SECTION 4-20-10, SAID THAT **HE SET A STONE** FOR THE SOUTHWEST CORNER OF SECTION 4-20-10 ON LINE AND AT THE "PROPER CORRECTION" BETWEEN THE STONE THAT HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 5-20-10 AND THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 4-20-10 ON THIS **INFORMAL SURVEY**.
HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
 - 1) 39.92 CHAINS WEST TO THE STONE HE FOUND AT THE SOUTH 1/4 CORNER OF SECTION 5-20-10
 - 2) 39.94-1/2 CHAINS EAST TO THE STONE HE SET FOR THE SOUTH 1/4 CORNER OF SECTION 4-20-10
 - 3) 79.89 CHAINS EAST TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 4-20-10

- 3) ARTHUR MILLIKEN, DEPUTY COUNTY SURVEYOR, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "F", ON PAGE 84 DATED DECEMBER 21, 1883 FOR A ROAD IN TOWNSHIP 20, RANGE 10 FOR ADAM STOTTER, PRINCIPAL PETITIONER, APPARENTLY **FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 4-20-10 ON THIS ROAD SURVEY FOR A **40 FOOT WIDE ROAD**.
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD SURVEY EXTENDED WEST ON THE SECTION LINES TO THE STONE HE FOUND AT THE SOUTHWEST CORNER OF SECTION 6-20-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE TO THE TERMINUS OF THIS ROAD SURVEY
 - 2) THIS ROAD SURVEY EXTENDED EAST ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 1-20-10 ON THE RANGE LINE TO COMMENCE THIS ROAD SURVEY
 - 3) HE NOTED ON HIS DRAWING THAT THE ROAD FROM THE STONE THAT HE FOUND AT THE SOUTHWEST CORNER OF SECTION 3-20-10 TO THE STONE THAT HE FOUND AT THE SOUTHEAST CORNER OF SECTION 1-20-10 ON THE RANGE LINE WAS **DISALLOWED**

- 4) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN A ROAD SURVEY FOR ROAD NUMBER 244 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 562 TO 564 PETITIONED BY ADAM STOTTER AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 20-10 [PACKET 490 IN THE VAULT IN THE COUNTY ENGINEERS OFFICE] THAT HE SURVEYED ON DECEMBER 21, 1883, WAS ESTABLISHED AS A **40 FOOT WIDE ROAD** FROM THE PLACE OF BEGINNING TO THE NORTHWEST CORNER OF THE EAST 1/2 OF THE NORTHWEST 1/4 OF SECTION 10-20-10 ON JANUARY 19, 1884 AS NOTED BY JOHN E. JONES, CHAIRMAN OF THE BOARD

OF COUNTY COMMISSIONERS, AND RECORDED ON JANUARY 29, 1884 BY ROLAND LARKIN, COUNTY CLERK, APPARENTLY **FOUND THE STONE** AT THE SOUTHWEST CORNER OF SECTION 4-20-10 ON THIS ROAD SURVEY. THE ROAD FROM THE SOUTHWEST CORNER OF SECTION 6-20-10 TO THE NORTHWEST CORNER OF THE EAST 1/2 OF THE NORTHWEST 1/4 OF SECTION 10-20-10 WAS **NOT ALLOWED**.

- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 87, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 87 FOR A COUNTY ROAD IN TOWNSHIPS 20-10 AND 20-11 FOR J. C. DARR, PRINCIPAL PETITIONER, DATED FEBRUARY 25, 1885, **APPARENTLY FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 8-20-10. THIS PORTION OF ROAD WAS **REJECTED** BY THE BOARD OF COUNTY COMMISSIONERS.
- 6) ARTHUR MILLIKEN, DEPUTY COUNTY SURVEYOR, IN A ROAD SURVEY FOR ROD NUMBER 290 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 110 TO 112 PETITIONED BY JOHN C. DARR AND OTHERS FOR 2 ROADS IN TOWNSHIP 20-11 [PACKET 527 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON FEBRUARY 26, 1885, WAS ESTABLISHED AS A 50 FOOT WIDE ROAD FROM THE NORTHEAST CORNER OF SECTION 16-20-10 TO THE SOUTHEAST CORNER OF SECTION 30-20-10 – THE REST OF THE ROAD ON THE PETITION WAS **REJECTED** BY THE BOARD OF COUNTY COMMISSIONERS ON JANUARY 9, 1885 AS NOTED BY JOHN L. BUTLER, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MAY 16, 1885 BY ROLAND LAKIN, COUNTY CLERK, APPARENTLY **FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 8-20-10. THIS PORTION OF ROAD WAS **REJECTED** BY THE BOARD OF COUNTY COMMISSIONERS.
- 7) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 102, AN **AGREEMENT SURVEY** RECORDED IN SURVEY BOOK "E" ON PAGE 102 DATED MAY 25 & 26, 1885 FOR W. V. PHILLIPS, RADER, AND R. H. McCORMICK TO LOCATE THE CENTER CORNER AND THE LINES AND CORNERS OF THE WEST 1/2 OF THE NORTHEAST 1/4 OF SECTION 5-20-10, SAID THAT **HE FOUND THE LOCATION FOR THE GOVERNMENT STONE** AT THE SOUTHEAST CORNER OF SECTION 5-20-10 ON THIS **AGREEMENT SURVEY**. HE DID NOT INDICATE IF HE SET A STONE AT THIS LOCATION.
HIS SURVEY NOTES/DRAWING SHOWS THE FOLLOWING INFORMATION:
 - 1) 2,644.5' NORTH TO THE STAKE HE SET FOR THE EAST 1/4 CORNER OF SECTION 5-20-10
 - 2) 5,289' NORTH TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF SECTION 5-20-10 ON THE TOWNSHIP LINE
- 8) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN SURVEY NUMBER 118, A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 118 FOR TWO ROADS IN TOWNSHIP 20-10 FOR BY H. C. WOOD, PRINCIPAL PETITIONER, DATED SEPTEMBER 8, 1885, **APPARENTLY FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 9-20-10 ON THE FIRST ROAD ON THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THE FIRST ROAD EXTENDS WEST ON THE SECTION LINES FOR 2 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 7-20-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE TO THE TERMINUS OF THIS ROAD SURVEY
 - 2) THE FIRST ROAD EXTENDS EAST ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF THE W1/2 OF THE NW1/4 OF SECTION 10-21-10 TO BEGIN THIS ROAD SURVEY

CONTINUED ON PAGE 3

- 9) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 308 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 182 TO 184 PETITIONED BY H. C. WOOD AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 20-10 [PACKET 536 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE], THAT HE SURVEYED ON SEPTEMBER 8, 1885, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD ON OCTOBER 9, 1885 AS NOTED BY JOHN L. BUTLER, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON JANUARY 29, 1886 BY ROLAND LAKIN, COUNTY CLERK, APPARENTLY **FOUND THE STONE** AT THE NORTHWEST CORNER OF SECTION 9-20-10 ON THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 2 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 7-20-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY
 - 2) THIS ROAD EXTENDS EAST ON THE SECTION LINES TO THE STONE HE FOUND AT THE NORTHEAST CORNER OF THE W1/2 OF THE NW1/4 OF SECTION 10-20-10 TO BEGIN THIS ROAD SURVEY
- 10) MATTHEW BROWN, DEPUTY COUNTY SURVEYOR, IN A ROAD SURVEY FOR ROAD NUMBER 322 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 238 TO 240 PETITIONED BY JOHN H. PHILLIPS AND OTHERS FOR A ROAD IN TOWNSHIP 20-10 [PACKET 571 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON MARCH 4, 1886, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD ON APRIL 17 AS NOTED BY T. E. McMILLAN, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MAY 7, 1886 BY ROLAND LAKIN, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 8-20-10 AND HE "RECOGNIZED IT AS THE CENTER OF THE ROAD" ON THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS NORTH ON THE SECTION LINES AT 20 FEET EACH SIDE OF THE SECTION LINE FOR 4,010 FEET TO THE 1" X 6" X 4" ROAD STONE HE SET MARKED "R" ON THE SOUTH SIDE; THEN EXTENDS NORTH FOR 330 FEET WITH THE ENTIRE WIDTH ON THE EAST SIDE OF THE SECTION LINE TO THE 7' X 12" X 9" STONE HE SET ON THE SECTION LINE MARKED "R" ON THE SOUTH SIDE; THEN CONTINUES NORTH ON THE SECTION LINES AT 20 FEET ON EACH SIDE OF THE SECTION LINE FOR 940 FEET TO THE STONE HE FOUND AT THE CORNER TO SECTIONS 4 & 5-20-10 ON THE TOWNSHIP LINE AT THE TERMINUS OF THIS ROAD SURVEY
 - 2) THIS ROAD EXTENDS SOUTH AT 20 FEET EACH SIDE OF THE SECTION LINE FOR 5,280 FEET TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 8-20-10 TO BEGIN THIS ROAD SURVEY
- 11) MATTHEW BROWN, COUNTY SURVEYOR FROM 1888 TO 1900, AND 1914, IN A ROAD SURVEY FOR ROAD NUMBER 369 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 426 TO 428 PETITIONED BY R. B. SHEPPARD FOR THE VACATION AND RELOCATION OF A ROAD IN TOWNSHIP 20-10 [PACKET 623 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE]. THE VACATED ROAD COMMENCED AT THE SOUTHEAST CORNER OF SECTION 5-20-13 AND RAN WEST ON THE SECTION LINES FOR 2 MILES TO THE SOUTHWEST CORNER OF SECTION 6-20-13 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE. ON JANUARY 15, 1890 THE BOARD OF COUNTY COMMISSIONERS ORDERED THE ROAD VACATED AS PETITIONED AS NOTED BY S. V. BITLER, CHAIRMAN PROTEM, AND IT WAS RECORDED ON JANUARY 15, 1890 BY C. W. WILHITE, COUNTY CLERK.
THE PETITION SHOWS THE FOLLOWING INFORMATION ON THE VACATED ROAD:
THE INFORMATION IS CONTINUED ON PAGE 4

- 1) THE VACATED ROAD EXTENDS WEST ON THE SECTION LINES FOR 2 MILES TO THE SOUTHWEST CORNER OF SECTION 6-20-10 ON THE RANGE LINE AND THE LYON AND CHASE COUNTY LINE TO END THIS VACATED ROAD

NORTHWEST CORNER SECTION 09-20-10