

NORTHWEST CORNER SECTION 15, TOWNSHIP 21 SOUTH, RANGE 12 EAST

- 1) ON PAGE 579 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A LIMESTONE 21" X 13" X 3"** FOR THE CORNER TO SECTIONS 9, 10, 15 & 16-21-12.
THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:
 - 1) 40.17-1/2 CHAINS EAST TO THE 17" X 11" X 3" LIMESTONE THEY SET FOR THE 1/4 CORNER BETWEEN SECTIONS 10 & 15-21-12
 - 2) 80.33 CHAINS EAST TO THE 33" X 10" X 4" LIMESTONE THEY SET FOR THE CORNER TO SECTIONS 10, 11, 14 & 15-21-12

- 2) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY FOR ROAD NUMBER 130 RECORDED IN ROAD RECORD BOOK "B" ON PAGES 106 TO 108 PETITIONED BY J. P. ROSS AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 21-12 THAT HE SURVEYED ON SEPTEMBER 30, 1881, WAS ESTABLISHED AS A 40 FOOT WIDE ROAD TO THE SECTION LINE AND THEN 50 FOOT WIDE FROM THE SECTION LINE SOUTH ON OCTOBER 5, 1881 AS NOTED BY J. M. GRIFFITH, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON OCTOBER 14, 1881 BY WILLIAM F. EWING, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 9-21-12 ON THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS 50' WIDE ROAD EXTENDS NORTH ON THE SECTION LINES TO THE 1/4 CORNER ON THE EAST LINE OF SECTION 4-21-12; THEN CONTINUES WEST ON THE 1/2 SECTION LINE AS A 40 FOOT WIDE ROAD FOR 800 FEET; THEN EXTENDS NORTHERLY TO THE 1/4 CORNER ON THE SOUTH LINE OF SECTION 33-20-12 ON THE 4TH STANDARD PARALLEL TO COMMENCE THIS ROAD SURVEY
 - 2) THEN CONTINUES SOUTH ON THE SECTION LINES AS A 50 FOOT WIDE ROAD TO THE SOUTHEAST CORNER OF SECTION 33-21-12 ON THE TOWNSHIP LINE AND THE LYON AND GREENWOOD COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY

- 3) J. H. HIBBEN, COUNTY SURVEYOR FROM 1875 TO 1882, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "C" ON THE RIGHT PAGE 225 DATED SEPTEMBER 30, 1881, FOR A ROAD SURVEY IN TOWNSHIP 21-12 SAID THAT **HE FOUND THE STONE** AT THE SOUTHEAST CORNER OF SECTION 9-21-12 ON THIS ROAD SURVEY
HIS SURVEY NOTES SHOWS THE FOLLOWING DISTANCES:
 - 1) THIS 50' WIDE ROAD EXTENDS NORTH ON THE SECTION LINES TO THE 1/4 CORNER ON THE EAST LINE OF SECTION 4-21-12; THEN CONTINUES WEST ON THE 1/2 SECTION LINE AS A 40 FOOT WIDE ROAD FOR 800 FEET; THEN EXTENDS NORTHERLY TO THE 1/4 CORNER ON THE SOUTH LINE OF SECTION 33-20-12 ON THE 4TH STANDARD PARALLEL TO COMMENCE THIS ROAD SURVEY
 - 2) THEN CONTINUES SOUTH ON THE SECTION LINES AS A 50 FOOT WIDE ROAD TO THE SOUTHEAST CORNER OF SECTION 33-21-12 ON THE TOWNSHIP LINE AND THE LYON AND GREENWOOD COUNTY LINE AT THE TERMINUS OF THIS ROAD SURVEY

- 4) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 78 DATED DECEMBER 17, 1884 FOR A ROAD IN TOWNSHIP 21-12 FOR C. SHAFER, PRINCIPAL PETITIONER, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 16-21-12 TO BEGIN THIS ROAD SURVEY.
HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
 - 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 3 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 18-21-12 ON THE RANGE LINE AT THE TERMINUS OF THIS ROAD SURVEY

CONTINUED ON PAGE 2

- 5) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 288 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 102 TO 104 PETITIONED BY C. SCHAFER AND OTHERS FOR A COUNTY ROAD IN TOWNSHIP 21-12 [PACKET 551 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON DECEMBER 17, 1884, WAS ESTABLISHED AS A 50 FOOT WIDE ROAD ON JANUARY 9, 1885 AS NOTED BY P. Y. HALLBERG, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON MARCH 24, 1885 BY ROLAND LAKIN, COUNTY CLERK, SAID THAT **HE FOUND THE STONE** AT THE NORTHEAST CORNER OF SECTION 16-21-12 TO BEGIN THIS ROAD SURVEY. HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS WEST ON THE SECTION LINES FOR 3 MILES TO THE STONE HE FOUND AT THE NORTHWEST CORNER OF SECTION 18-21-12 ON THE RANGE LINE AT THE TERMINUS OF THIS ROAD SURVEY
- 6) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN A ROAD SURVEY FOR ROAD NUMBER 586 RECORDED IN ROAD RECORD BOOK "D" ON PAGES 213 THROUGH 216 PETITION BY R. O. HARDNER AND OTHERS FOR A ROAD IN TOWNSHIPS 21-12 AND 21-13 [PACKET 727 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] THAT HE SURVEYED ON JUNE 23, 1903, AND WAS GRANTED AS A 50 FOOT WIDE ROAD, 25 FEET ON EACH SIDE OF THE SECTION LINE, ON NOVEMBER 5, 1903 AS NOTED BY E. MOORHEAD, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS, AND RECORDED ON FEBRUARY 27, 1904 BY ALVA J. SMITH, COUNTY SURVEYOR, SAID THAT **HE SET AN 18" X 10" X 3" STONE MARKED "R" ON THE EAST SIDE** FOR THE TERMINUS OF THIS ROAD SURVEY. [NOTE: HE DOES NOT CALL THIS STONE THE SOUTHWEST CORNER OF SECTION 10-21-12, BUT THE PETITION STATED THAT THE ROAD WAS TO END AT THE SOUTHWEST CORNER OF SECTION 10-21-12 – WARREN CHIP WOODS, L.S 603, COUNTY SURVEYOR]
- HIS SURVEY NOTES SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 80.23 CHAINS TO THE GOVERNMENT STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 10-21-12, THEN CONTINUES EAST ON THE SECTION LINES FOR 80.43 CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 11-21-12, THEN CONTINUES EAST ON THE SECTION LINE FOR 81.03 CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 12-21-12 ON THE RANGE LINE, THEN CONTINUES EAST ON THE SECTION LINES FOR 70.93 CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 7-21-13 TO BEGIN THIS ROAD SURVEY
- 7) ALVA J. SMITH, COUNTY SURVEYOR FROM 1900 THROUGH 1906, IN SURVEY NUMBER 84, A ROAD SURVEY FOR THE GARDNER ROAD IN TOWNSHIP 21, RANGES 12 & 13, RECORDED IN SURVEY BOOK "F" ON PAGE 164 DATED JUNE 23, 1903, SAID THAT **HE SET AN 18" X 10" 3" STONE MARKED WITH A "R" ON THE EAST SIDE** FOR THE TERMINUS OF THIS ROAD SURVEY. [NOTE: HE DOES NOT CALL THIS STONE THE SOUTHWEST CORNER OF SECTION 10-21-12, BUT THE PETITION STATED THAT THE ROAD WAS TO END AT THE SOUTHWEST CORNER OF SECTION 10-21-12 – WARREN CHIP WOODS, L.S. 603, COUNTY SURVEYOR]
- HIS SURVEY DRAWING SHOWS THE FOLLOWING INFORMATION:
- 1) THIS ROAD EXTENDS EAST ON THE SECTION LINES FOR 80.23 CHAINS TO THE GOVERNMENT STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 10-21-12, THEN CONTINUES EAST ON THE SECTION LINES FOR 80.43 CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 11-21-12, THEN CONTINUES EAST ON THE SECTION LINE FOR 81.03 CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 12-21-12 ON THE RANGE LINE, THEN CONTINUES EAST ON THE SECTION LINES FOR 70.93

CHAINS TO THE STONE HE FOUND AT THE SOUTHEAST CORNER OF SECTION 7-
21-13 TO BEGIN THIS ROAD SURVEY

NORTHWEST CORNER 15-21-12